

SCIR (Standing Committee Inspection Report), DIR (Departmental Inspection Report), UC (Under Consideration), NR (Not Recommended), NC (Not Considered), SIR (Supplementary Inspection Report), PS (Power Supply).

S. No.	Name, Address & File No. of Institute for reference and future correspondence.	Trades/Units for which Affiliation		REMARKS	
		Bought by the Instt.	Recommended by		
			Standing Committee	D.G.E.T.	
13	Govt. I.T.I. for Women) World Bank Bareilly (U.P.) No. DGET:6/24/17/2000-TC	1. <u>D/Men Civil</u> One Unit	One Unit	N.R.	SCIR dt. 24.4.2000 w.e.f. 1. Dimensions not given on plan for spool. 2. Instructors for W/Cal S.S.&Drq. not appointed 3. Heavy shortage of in Electronics Mac Trade & Shortage in R & T.V. Trade. 4. 20% shortage in Equipment for COPA.
		2. <u>Electronics Mech.</u> One Unit	One Unit	N.R.	
		3. <u>Radio & T.V.</u> One Unit	One Unit	N.R.	
		4. <u>COPA</u> One Unit	One Unit	N.R.	
14	Govt. I.T.I. for Women World Bank, Saket, Meerut U.P. No. DGET:6/24/13/2000-TC (Govt.)	1. <u>D/Men (Civil)</u> Two Units	One Unit	One Unit Hilalad & all three units. II unit NR of all three units.	SCIR dt. 17.4.2000 w.e.f. Aug. 2000 Instructor for second unit / any trade, submit DIR for the second unit after appointing instructor
		2. <u>Mech. R & T.V.</u> Two Units	Two Units		
		3. <u>COPA</u> Two Units	Two Units		
15	Govt. I.T.I. for Women, World Bank Balkeshwar Road, Agra -4 U.P. No. DGET-6/24/16/2000-TC	1. <u>D/Men (Civil)</u> 2(1+1)	One Unit	N.R.	SCIR dt. 26.4.2000 All w.e.f. Aug. 2000 Tools & Equipment are not as per standard list.
		2. <u>Mech. R & T.V.</u> 2(1+1)	One Unit	One Unit	
		3. <u>Printer (G)</u> One Unit	One Unit	One Unit	