

STATE -UTTAR PRADESH



DATED-30.06.2006

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence	Trade	Units for which affiliation sought / recommended by			Remarks
		Instt.	Std. Comm.	DGET	
1. R.V.K ITC 106/71 A, Ram Nagar, Naini, Allahabad-211008 (U.P) <u>DGET-6/24/22/2006-TC</u> (New Pvt)	Fitter	2(1+1)	2(1+1)	One *One rejected	SCIR-29/10/2005 w.e.f. Aug. 2005 * trade instructor is not available
2. R.N. ITC Gangeshwara colony, Kasganj (Etah) UP- 2071023 <u>DGET-6/24/10/2006-TC</u> (New Pvt)	COPA	2(1+1)	2(1+1)	2(1+1)	SCIR-10/10/2005 w.e.f. Aug. 2005
3. Ammar Fatma ITC Kothi Lata Ruk, Dodhpur, Aligarh, UP-202002 <u>DGET-6/24/9/2006-TC</u> (New Pvt)	COPA	2(1+1)	2(1+1)	2(1+1)	SCIR-9/10/2005 w.e.f. Aug. 2005
4. Unique Vocational Training Centre, Shiv Nagar, Khadra, Lucknow (UP) <u>DGET-6/24/24/2006-TC</u> (New Pvt)	COPA Cutting & Sewing	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	SCIR-26/9/2005 w.e.f. August, 2005 both trades
5. Nimisha Mahila Vikas Sansthan, 141/C, Malviya Road, George Town, Allahabad, UP-211002 <u>DGET-6/24/14/2006-TC</u> (New Pvt)	Cutting & Sewing	2(1+1)	2(1+1)	UC*	SCIR-8.10.2005 w.e.f. August, 2005 *S/d may submit SIR within 3 months after procurement of Bar-teak machine failing which affiliation is withdrawn.