



STATE: UTTAR PRADESH

DATED: 30/12/2008

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
13 Neena Thapa ITC Distt Gorakhpur UP DGET-6/24/44/2008-TC (New ITC)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-14/E/2008 Both trades w.e.f Aug 2008	
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
14 Chameli Devi IT, bandi, Dist- Mathura UP DGET-6/24/84/2008-TC New Pvt	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-6/9/2008 four trades w.e.f Aug 2008 Bill for CNC milling not attached. S/D is requested to kindly forward authenticated bill.	
	Draftsman Civil	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Fitter	2(1+1)	2(1+1)	*	*		
	COPA	2(1+1)	NR	NC	NC		
15 Indian Inst. Of Computer Learning 72- Sujanpura Alambagh Distt Lucknow UP DGET-6/24/10/99-TC	COPA	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(1+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-8/9/2008 w.e.f Aug 2008	
16 Ram Charan ITC, Ghatauli Faizabad Block-Khandasa The-Milkipur Distt-Faizabad UP DGET-6/24/59/2008-TC (New Pvt)	COPA	2(1+1)	One Unit	One Unit	One Unit	SCIR-20/10/2008 Both trade w.e.f Aug 2008 Since not recommended by Standing Committee	
	Cutting & Sewing	One Unit	One Unit	One Unit	One Unit		
	Wireman	One Unit	NR	NC*	NC*		

A/S

157

STATE: Uttar Pradesh



DATED: 24/08/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Inst management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)						
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks	
		Instt.	Std. Comm.	Approval by Sub-Committee of NCVT		
110 Najibabad Private ITI, Village Harsuwara, PO. Najibabad, Dist. Bijnor Uttar Pradesh DGET-6/24/05/2012-TC	Electrician Fitter Welder(G&E)	2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1)	SCIR-8/2/2012 SIR-14/8/2012 w.e.f. Aug 2012	
111 Ram Milan Singh Private ITI, Vill. Housapur (Pandey Baba), Post. Paras Patil, Dist. Sultanpur Uttar Pradesh DGET-6/24/187/2011-TC	Fitter Electrician	Addl. 2 units Addl. 2 units	- -	Addl. 2 units Total 6(2+2+2) *Rejected	DIR-26/4/2012 w.e.f. Aug 2012 *Sh. Dharmendra Singh instructor Electrician is having 1 year 08 month experience as against 2 years. However the institute should appoint new staff meeting the qualification and experience as per NCVT norms and the same may be forwarded by S/D after getting it authenticated for reconsideration	
112 Chameil Devi Private ITI, Bandi, Dist. Mathura Uttar Pradesh DGET-6/24/84/2008-TC	Electrician Fitter Cutting & Sewing	6(3+3) 2(1+1) 2(1+1)	6(3+3) 2(1+1) 2(1+1)	6(3+3) *Rejected 2(1+1)	SCIR-23/5/2012 SIR-9/8/2012 w.e.f. Aug 2012 * Workshop is not suitable for training considering the safety and movability of trainees.	
113 Maa Bhagawati Private ITI, Reotipur, Dist. Ghazipur Uttar Pradesh DGET-6/24/196/2009-TC	Fitter Electrician	Addl. 2(1+1) Addl. 2(1+1)	Addl. 2(1+1) Addl. 2(1+1)	Addl. 2(1+1) Total 5(2+2+1) Addl. 2(1+1) Total 5(2+2+1)	SCIR-10/5/2012 w.e.f. Aug 2012	
114 A. P. Pvt. ITI, Sidharl Dist. Azamgarh Pin-27600E Uttar Pradesh DGET-6/24/74/2012-TC	Fitter	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	SCIR-12/5/2012 SIR-28/6/2012 SIR-14/8/2012 w.e.f. Aug 2012	

-24-

Ministry of Labour & Employment
भारत सरकार / Govt. of India
नई दिल्ली / New Delhi

155