



SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Instt.	Std. Comm.	DGET		
11 S.K.B ITC, Behara (Ragghapur) karakat-Dist-Jaunpur Uttar Pradesh DGET-6/24/92/2008-TC	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-30/10/2008 w.e.f Aug 2008 *this supersedes order dt-30/12/2008 for fitter trade.
12 M.S.D ITC, Umari PO-kosi khurd Dist-Mathura Pin-281001 Uttar Pradesh **DGET-6/24/48/2008-TC	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)*	SCIR-7/10/2008 w.e.f Aug 2008. * This supersedes the earlier order dt. 26/09/08.
13 Professional technical Institute ETAH Industrial Area-207201 Uttar Pradesh DGET-6/24/41/06-TC	Fitter	Add. 2(1+1)	-	Add. 2(1+1) Total 4(2+2)	Add. 2(1+1) Total 4(2+2)	SCIR-30/4/2008 w.e.f Feb/Aug 08 This supersedes the earlier order dt 26/9/08.
14 Chameli Devi ITC, Bandi, Dist-Mathura (UP). DGET-6/24/84/2008-TC	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)*	SCIR-6/9/2008 w.e.f Aug 2008 This supersedes the earlier order dt 30/12/08
15 Ram Krishna Paramhans ITC, Azamgarh (UP) DGET-6/24/93/2008-TC	Electrician	4(2+2)	4(2+2)	4(2+2)	4(2+2)	SCIR Dt-22.10.08 w.e.f Aug-08 This supersedes earlier order dt. 30.12.2008.

Letis
D. G. E. T. Ministry of Labour
Govt. of India

S. Kumar
Principal
M. S. D. I. T. I.
Umari (Mathura)