



DATED: 27/07/2012

STATE: Uttar Pradesh

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)					
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks
		Instit.	Std. Comm.	Approval by Sub-Committee of NCVT	
11 Major General Gurbaksh Singh Gill Private ITI, Sarakthal, PO. Pipale Nayak, Dist. Rampur Uttar Pradesh DGET-6/24/117/2010-TC	Fitter	Addl. One Unit	-	Addl. One Unit Total 3(1+1+1)	DIR-7/5/2012 SIR-26/6/2012 w.e.f. Aug 2012
	Electrician	Addl. One Unit	-	Addl. One Unit Total 3(1+1+1)	
12 Gurukul Private ITI, Rampur Road, Near Ice Factory, Dist. Moradabad Uttar Pradesh DGET-6/24/201/2010-TC	Electrician	Addl. One Unit	-	Addl. One Unit Total 3(1+1+1)	DIR-26/4/2012 SIR-25/6/2012 w.e.f. Aug 2012
	Fitter	Addl. One Unit	-	Addl. One Unit Total 3(1+1+1)	
13 R.D.S.J Pvt. ITI, Vill-Sahjina, Post-Rahimabad, Tehsil-Mallhabad Dist-Lucknow Uttar Pradesh DGET-6/24/10/2012-TC	Fitter	4(2+2)	4(2+2)	4(2+2)	SCIR-12/5/2012 SIR-28/6/2012 w.e.f. Aug 2012
	Electrician	4(2+2)	4(2+2)	4(2+2)	
				Addl. One Unit	DIR-6/2/2012