

STATE UTTAR PRADESH



DATED: 19/2/2009

| Name, Address & File No. of Institute for ref. & Future correspondence | Trade | Units for which affiliation sought / recommended by | | | Approval by Sub-Committee of NCVT | Remarks |
|--|------------------|---|----------------|----------------|-----------------------------------|--|
| | | Instt. | Std. Comm. | DGET | | |
| 1 Shiva ITC, Govardhan, Mathura Uttar Pradesh DGET-6/24/83/2008-TC | Electrician | 2(1+1) | 2(1+1) | 2(1+1) | 2(1+1) | SCIR-25/10/2008 w.e.f Aug 2008 This supersedes the earlier order dt-30/12/2008 |
| | Fitter | 2(1+1) | 2(1+1) | 2(1+1) | 2(1+1) | |
| | COPA | 2(1+1) | 2(1+1) | 2(1+1) | 2(1+1) | |
| 2 Smt. Lilawati Audyogik Prashikshan Kendra Dewana Kala Mathura Uttar Pradesh DGET-6/24/4/2009-TC | Fitter | 2(1+1) | 2(1+1) | 2(1+1) | 2(1+1) | SCIR-26/10/2008 w.e.f Aug 2008 |
| | Electrician | 2(1+1) | 2(1+1) | 2(1+1) | 2(1+1) | |
| 3 Late Shiv Kumar Rai ITC, Baberi Sohilpur Ghazipur Uttar Pradesh DGET-6/24/3/2009-TC (New Pvt) | Fitter | 2(1+1) | 2(1+1) | 2(1+1) | 2(1+1) | SCIR-15/10/2008 w.e.f Aug 2008 |
| | Electrician | 2(1+1) | 2(1+1) | 2(1+1) | 2(1+1) | |
| Pt. Hari Ram Tewari Audyogik Prashikshan Kendra Semari Bazar Sultanpur Uttar Pradesh DGET-6/24/2/2009-TC (New Pvt) | Fitter | 4(2+2) | 4(2+2) | 4(2+2) | 4(2+2) | SCIR-31/10/2008 w.e.f Aug 2008 |
| International Computer Instt. ITC, Vill. Habibpur, Greater Noida Gautam Budh nagar Uttar Pradesh DGET-6/24/23/2000-TC | Electrician | Addl. One Unit | Addl. One Unit | Total 3(1+1+1) | Total 3(1+1+1) | SCIR-6/11/08 w.e.f Feb-09 |
| Process and Product Development Centre ITC, Foundry Nagar Agra Uttar Pradesh Pin-282006 DGET-6/24/21/2005-TC | Draughtsman Mech | One Unit | One Unit (0+1) | * | * | SCIR-8/9/2008 *S/D is requested to forward the proof of qualification of Trade Instructors. |
| | Foundry man | One Unit | One Unit | * | * | |

2/2

2



STATE UTTAR PRADESH

DATED: 24/6/2009

Draft

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm. (Standing Committee Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

| Sl. No. | Name, Address & File No. of Institute for ref. & Future correspondence | Trade | Units for which affiliation sought / recommended by | | | Approval by Sub-Committee of NCVT | Remarks |
|---------|---|---------------------------|---|------------------------------------|--|--|---------------------------------|
| | | | Inett. | Std. Comm. | DGET | | |
| 27 | Hindustan Audyogic Prashikshan Center, Bahadurpur, Sultanpur, (U.P) 6/24/18/2007 -TC | Electrician Fitter | Addl.3(1+1+1) Addl.3(1+1+1) | Addl.3(1+1+1) Addl.3(1+1+1) | Addl.3(1+1+1) Addl.3(1+1+1) | Addl.3(1+1+1) Addl.3(1+1+1) Total 5(2+2+1) Total 3(2+2+1) | SCIR-31/10/2008 w.e.f Aug 08 |
| 28 | Shri Ram Chandra Narayan ITC, Madhopur, Post Baura, Jagdishpur, Sultanpur (U.P) DGET -6/24/23/2008 - TC | Electrician Fitter | Addl. One Addl. One | - - | Addl. One Total 3(1+1+1) Addl. One Total 3(1+1+1) | Addl. One Total 3(1+1+1) Addl. One Total 3(1+1+1) | DIR-14/3/2009 w.e.f Aug 09 |
| 29 | Rajatalab ITC Rajatalab, Varanasi Pin-221311 (U.P) DGET - 6/24/5/93 -TC | Electrician Fitter | Addl. One Unit Addl. Two Unit | - - | Addl. One Unit Total 3(1+1+1) Addl. Two Unit Total 6(2+2+2) | Addl. One Unit Total 3(1+1+1) Addl. Two Unit Total 6(2+2+2)+1 | DIR- 1/3/2009 w.e.f Aug 09 |
| 30 | Pt. Hari Ram Tewari Audyogic Prashikshan Kendra Somari Bazar Sultanpur (U.P) DGET -6/24/2/2009 -TC | Fitter | Addl. 2 Unit (3 rd shift) | - | Addl. 2 Unit Total 6(2+2+2) | Addl. 2 Unit Total 6(2+2+2) | DIR-8/4/2009 w.e.f Aug 09 |

(Signature)

प्रधानाचार्य

पं० हरीराम विद्यारी प्राखेड
औद्योगिक प्रशिक्षण सं. पाव
शेमरी बाजार - सुलतपुर