

STATE: Uttar Pradesh



DATED: 29/04/2011

Notes: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

Sl. No.	Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
			Instr.	Stl. Comm.	DGET		
26	Kamla Prasad Mishra ITC, Vill. & Post. Bhadela Dist. Sultanpur Uttar Pradesh DGET-6/24/24/2011-TC (New Pvt.)	Fitter	4(2+2)	4(2+2)	2(1+1)*	2(1+1)*	SCIR-05/01/2011 w.e.f. Aug 2011 *The Tools & Equipment are only for 2(1+1) units as per NCVT norms.
		Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
		Fashion Technology	2(1+1)	NR	NC	NC	
27	Savita ITC, Station Road, Janki Nagar, Dist. Gonda Uttar Pradesh DGET-6/24/12/2011-TC (New Pvt.)	Dress Making	2(1+1)	NR	NC	NC	SCIR-7/2/2011 *S/D to forward all documents related to appointment & joining letter & technical qualification of instructor.
		Electrician	4(2+2)	2(1+1)	*	*	
28	K.D.M ITC, Mau, Dist. Moradabad Uttar Pradesh DGET-6/24/21/2011-TC (New Pvt.)	Electrician	4(2+2)	4(2+2)	*	*	SCIR-20/12/2010 *The Registration Certificate of society is not enclosed. S/D to provide the same.
29	Yugendra ITC, Village & Post. Davenatha, Block Bichpuri, Teh. Kirwall Dist. Agra Uttar Pradesh DGET-6/24/23/2011-TC (New Pvt.)	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-13/12/2010 w.e.f. Aug 2011 *Rejected as the instructor's qualification is not as per NCVT norms.
		Electrician	2(1+1)	2(1+1)	*Rejected	*Rejected	
30	Pt. Hari Ram Yewari Aadyogik Prasikshan Kendra Sarni Bazar Dist. Sultanpur Uttar Pradesh DGET-6/24/2/2009-TC	Fitter	Addl. 8(4+4)	Addl. 8(4+4)	Addl. 8(4+4) Total 14(6+6+2)	Addl. 8(4+4) Total 14(6+6+2)	SCIR-28/6/2010 SIR-24/12/2010 w.e.f. Aug 2011

प्रधानाचार्य
 श्री. हरीराम तिवारी प्रमुख
 औद्योगिक शिक्षण संस्थान
 सैमरी बाजार - सुलतपुर