

STATE: Uttar Pradesh



DATED: 27.01.2012

Note: - As per NCWT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

<i>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NIR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)</i>						
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Instt.	Std. Comm.	DGET		
1 Trilokinath Ramnarayan Private ITI, Shahpur, Maniyaripatti, Dist. Ambedkar Nagar Uttar Pradesh DGET-6/24/126/2011-TC	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-30/5/2011 SIR-26/9/2011 w.e.f. Feb 2012
2. Param Pujya Swami Argaranand Private ITI, Gobari(Chowboli) jagesarganj Dist. Pratapgarh Uttar Pradesh DGET-6/24/156/2011-TC	Fitter	Addl. One Unit	-	Addl. One Unit Total 3(1+1+1)	Addl. One Unit Total 3(1+1+1)	DIR-19/5/2011 SIR-22/7/2011 SIR-18/8/2011 w.e.f. Feb 2012
	Electrician	Addl. One Unit	-	Addl. One Unit Total 3(1+1+1)	Addl. One Unit Total 3(1+1+1)	