



Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

| Name, Address & File No. of Institute for ref. & Future correspondence draft  | Trade                   | Units for which affiliation sought / recommended by |                 |                                 | Approval by Sub-Committee of NCVT | Remarks  |
|---|-------------------------|---|-----------------|---------------------------------|-----------------------------------|--|
|   |                         | Instit.   | Std. Comm.      | DGET                            |                                   |  |
| 24<br>Gaya Singh Private ITI, ,<br>Barani Hathi Bazar<br>Dist. Varanasi<br>Uttar Pradesh<br><br>DGET-6/24/260/2009-TC   | Fitter                  | Addl.<br>2(1+1)                                     | Addl.<br>2(1+1) | Addl.<br>2(1+1)<br>Total 4(2+2) | Addl.<br>2(1+1)<br>Total 4(2+2)   | SCIR-22/07/2011<br>w.e.f. Aug 2011                                       |
|   | Electrician             | Addl.<br>2(1+1)                                     | Addl.<br>2(1+1) | Addl.<br>2(1+1)<br>Total 4(2+2) | Addl.<br>2(1+1)<br>Total 4(2+2)   |  |
| 25<br>Sri Sant Bihari Private ITI,<br>Plot no. 39, Barasirohi<br>Post. I.I.T Kanpur<br>Dist. Kanpur<br>Uttar Pradesh<br><br>DEGT-6/24/182/2011-TC             | Wireman                 | 2(1+1)  | 2(1+1)          | 2(1+1)                          | 2(1+1)                            | SCIR-20/06/2011<br>SIR-18/08/2011<br>w.e.f. Aug 2011                     |
|   | Electronics<br>Mechanic | 2(1+1)  | 2(1+1)          | 2(1+1)                          | 2(1+1)                            |  |
| 26<br>Saraswati Private ITI,<br>Vill. Chhahi, P.O. Samath<br>Dist. Varanasi<br>Uttar Pradesh<br><br>DGET-6/24/31/2011-TC                                      | Fitter                  | 2(1+1)  | 2(1+1)          | 2(1+1)                          | 2(1+1)                            | SCIR-19/12/2010<br>SIR-29/04/2011<br>w.e.f. Aug 2011                     |
| 27<br>Tribhuvan Private ITI,<br>Vill. Gopalpur Kala, Post.<br>Ahirauli<br>Dist. Ambedkar Nagar<br>Uttar Pradesh<br><br>DGET-6/24/152/2011-TC                  | Electrician             | 2(1+1)  | 2(1+1)          | 2(1+1)                          | 2(1+1)                            | SCIR-30/06/2011<br>SIR-29/08/2011<br>w.e.f. Aug 2011                     |
| 28<br>Vidya Private ITI<br>VIII & PO Gumsani,<br>Tehsil-Sambhal,<br>Dist. Moradabad<br>Pin-244102<br>Uttar Pradesh<br><br>DGET-6/24/239/2011-TC<br>(New Pvt.) | Electrician             | 2(1+1)  | 2(1+1)          | 2(1+1)                          | 2(1+1)                            | SCIR-29/07/2011<br>w.e.f. Aug 2011<br>*New lathe<br>machine<br>required. |
|   | Fitter                  | 2(1+1)  | 2(1+1)          | *Rejected                       | *Rejected                         |  |