

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

<i>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&amp;E (Tools &amp; Equipment)</i>							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instt.	Std. Comm.	DGET			
43 Asharfi Private ITI Vill-Bardha Bhiura, Post-Songaon, Dist. Ambedkar Nagar, Pin-224122 Uttar Pradesh  DGET-6/24/245/2011-TC (New Pvt.) ✓	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-10/07/2011 w.e.f. Aug 2011	
	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	COPA	2(1+1)	NR	NC	NC		
44 A.N. Tiwari Private ITI Shivmangal Nagar, Post-	Fitter	2(1+1)	2(1+1)	2(1+1)*	2(1+1)*	SCIR-26/07/2011 w.e.f. Aug 2011	