



STATE: Uttar Pradesh

DATED: 20/09/2011

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Instt.	Std. Comm.	DGET		
43 Asharfi Private ITI VIII-Bardha Bhlura, Post-Songaon, Dist. Ambedkar Nagar, Pin-224122 Uttar Pradesh DGET-6/24/245/2011-TC (New Pvt.)	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-10/07/2011 w.e.f. Aug 2011
	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
	COPA	2(1+1)	NR	NC	NC	

[Signature]
Principal
Asharfi I.T.C.
Ambedkar Nagar

10/06/2011

