

STATE: Uttar Pradesh



DATED: 15/7/2010

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); TRE (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Instit.	Std. Comm.	DGET		
46. Ananya ITC, Vill. Khara, Najmabad, Dist. Bijnor Uttar Pradesh DGET-6/24/24/2008-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-29/5/2010 w.e.f. Aug 2010 *Rejected 2 addl. unit as lathe machines Electric Furnace short.
	Fitter	4(2+2)	4(2+2)	2(1+1)*	2(1+1)*	
	Draughtsman Cvil	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
47. Modern ITC, Binapur, Bahrich Road, Dist. Gonda Uttar Pradesh DGET-5/24/130/2010-TC (New Pct.)	Fitter	4(2+2)	4(2+2)	2(1+1)*	2(1+1)*	SCIR-30/5/2010 w.e.f. Aug 2010 *2(1+1) Addl. Rejected as only two lathe machine & one Electric furnace available in the institute.
	Electrician	4(2+2)	4(2+2)	4(2+2)	4(2+2)	
48. Rajendra ITC, Rajatalab, Dist. Varanasi Uttar Pradesh DGET-6/24/5/93-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 5(2+2+1)	Addl. 2(1+1) Total 5(2+2+1)	SCIR-29/5/2010 w.e.f. Aug 2010
	Fitter	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 8(3+3+2)	Addl. 2(1+1) Total 8(3+3+2)	
49. Sh. Shw. Ball Singh ITC, Murain Tola, Kachehari Road, Dist. Fatehpur Uttar Pradesh DGET-6/24/112/2010-TC (New Pct.)	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-31/5/2010 w.e.f. Aug 2010
	Electrician	4(2+2)	4(2+2)	4(2+2)	4(2+2)	
50. New Vidya Bharati ITC, Near UPSIDS, Industrial Area, Opp. Telephone Exchange Gajrola Dist. J.P. Nagar Uttar Pradesh DGET-6/24/49/2009-TC	Electrician	Addl. 8(4+4)	Addl. 8(4+4)	Addl. 8(4+4) Total 20(8+8+4)	Addl. 8(4+4) Total 20(8+8+4)	SCIR-30/5/2010 w.e.f. Aug 2010
	Fitter	Addl. 4(2+2)	NR	NC	NC	



STATE: Uttar Pradesh

DATED: 08/06/2011

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Sl. No.	Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
			Instit.	Std. Comm.	DGET		
25	Sri Shiv Datt Singh ITC, Munin Tola, Kachhera Road, Dist. Fatehpur Uttar Pradesh DGET-6/24/112/2010-TC	Filter	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-1/5/2011 w.e.f. Aug 2011
		Electrician	Addl. 4(1+1)	Addl. 4(2+2)	Addl. 4(2+2) Total 8(4+4)	Addl. 4(2+2) Total 8(4+4)	
		COPA	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
26	Teeth Vikas Trust ITC, Anyone Parikarma Marg, Gowardhan Dist. Hathras Uttar Pradesh DGET-6/24/212/2010-TC (New Pvt.)	COPA	One Unit	One Unit	*Rejected	*Rejected	SCIR-18/9/2010 SIR-4/5/2011 * Fresh SCIR for minimum two units to be forwarded to DGET as per DGET order no. DGET/19/12/2010-CD dated 06.08.2010
		Cutting & Sewing	One Unit	One Unit	*Rejected	*Rejected	
27	Gulab Anjali Choudhri ITC, Sonawil Road, Mohanpur Dist. Gorakhpur Uttar Pradesh DGET-6/24/52/2008-TC	Electrician	Addl. One Unit	-	Addl. One Unit Total 6(2+2+2)	Addl. One Unit Total 6(2+2+2)	DIR-4/4/2011 w.e.f. Aug 2011
		Filter	Addl. One Unit	-	Addl. One Unit Total 6(2+2+2)	Addl. One Unit Total 6(2+2+2)	
28	Govt. ITC, Bulandshahr Dist. Agra Uttar Pradesh DGET-6/24/2092/10-TC	Painter General	One Unit	One Unit	*Rejected	*Rejected	SCIR-11/2/2011 * Fresh SCIR for minimum two units to be forwarded to DGET as per DGET order no. DGET/19/12/2010-CD dated 06.08.2010
		Fashion Technology	One Unit	One Unit	*Rejected	*Rejected	

[Signature]
 Director, Directorate of Technical Education,
 Government of Uttar Pradesh,
 Lucknow

निदेशक,
प्रशिक्षण एवं सेवाविकास,
उत्तर प्रदेश, लखनऊ।

संख्या :-

प्रशासनिक/प्रशिक्षण,
बी. विद्यार्थी सेवा औद्योगिक प्रशिक्षण केन्द्र,
मुरादाबाद, बरेली जिला।

पत्रांक: 10/81 /टी-3/2010/मा0रस/संस्तुति

संख्याक: दिनांक: 2011

विषय:- स्थायी समिति की निरीक्षण रिपोर्ट को आधार पर निम्नी शिफ्ट के व्यवस्थापक/सुनिर्देशकों का स्थायी सम्बन्धन प्रदान किये जाने के बारे में मूला निदेशालय से प्राप्त एवं प्रशिक्षण, बी. विद्यार्थी सेवा औद्योगिक केन्द्र, लखनऊ में प्रेषित ज्ञापन समिति द्वारा किये गये निर्णय की सूचना के सम्बन्ध में।

प्रतीक,

उपरोक्त विषय के सम्बन्ध में आपको सूचित किया जाता है कि आपके सम्बन्धन से सम्बन्धित स्थायी समिति की निरीक्षण रिपोर्ट दिनांक 07-5-2011 पर दिनांक 08-08-2011 को मूला निदेशालय, सेवाविकास एवं प्रशिक्षण, लखनऊ में राष्ट्रीय व्यावसायिक प्रशिक्षण परिषद् की उच्च समिति की बैठक सम्पन्न हुई। उच्च समिति द्वारा आपके सम्बन्धन से सम्बन्धित उक्त निरीक्षण रिपोर्ट के बारे में जो निर्णय लिया गया है, उसका उद्धरण अग्रोत्तरावधार नीचे अंकित किया जा रहा है:-

क्र. सं.	कार्यवाही/एकक किनके लिए संस्थान/केन्द्र द्वारा स्थायी सम्बन्धन का अनुबंध किया गया।	संस्तुति की गयी		संस्तुति
		स्थायी समिति द्वारा	सीबीआईसीटी द्वारा	
1	2	3	4	5
1-	Fitter Addl. 02(1+1)	Addl. 02(1+1)	Addl. 02(1+1) Total 04(2+2)	SCIR-7/5/11 w.o.f. Aug. 2011
2-	Electrician Addl. 02(1+1)	Addl. 04(2+2)	Addl. 04(2+2) Total 08(4+4)	
3-	Copa 02(1+1)	02(1+1)	02(1+1)	
DGET-6/24/112/2010 -TC DATED 08/06/2011				

प्रयोग किये गये संकेत:-

- (1) एन.डी.ओ.आर.-स्थायी समिति की निरीक्षण रिपोर्ट
- (2) एन.डी.ओ.आर.-मूला निरीक्षण रिपोर्ट
- (3) सीबीआईसीटी-विभागीय निरीक्षण रिपोर्ट
- (4) सुनिर्देश-निर्देशावली
- (5) एन.डी.ओ.-संस्तुति नहीं किया गया।
- (6) एन.डी.ओ.-विचार नहीं किया गया।

2. आपके अधिका की जाती है कि भारत सरकार द्वारा स्थायी नई कर्मियों/सुनिर्देशकों का नियुक्तन सम्बन्धित पर्यवेक्षण अपनी आस्था विन्दुपर राज्य सहित या प्रतियों में इस निदेशालय को अविलम्ब प्रेषित करें। यदि अधिक कार्यवाही की जा रही।

निर्देश :- यह भी स्पष्ट किया जाता है कि भारत सरकार द्वारा यदि आपके सम्बन्धन से वांछित व्यवस्थाओं की सम्पत्ता प्रदान नहीं की गई है तो आप इन व्यवस्थाओं में प्रवेश न करें। इन अमान्य व्यवस्थाओं की प्रशिक्षार्थियों को अमान्य अर्थात् भारतीय व्यवसायिक परीक्षा में सम्मिलित नहीं किये जा सकेंगे, जिसका पूर्ण उत्तरदायित्व आपका होगा।

अपर निदेशक (प्रशिक्षण/विद्युत)

पत्रांक: /टी-3/2010/मा0रस/संस्तुति/ संदर्भित

प्रतिलिपि निम्नलिखित को सूचना एवं अवस्था कार्यवाही हेतु प्रेषित :-

1. सुपुत्र निदेशक (प्रशिक्षण/विद्युत) कानपुर जो इस आशय से प्रेषित कि वह उपरोक्त विषय विन्दु पर विशेष ध्यान दे तथा संबंधित सम्बन्धन/केन्द्र को भी अपने स्तर से अवगत करावे।
2. सम्बन्धित सम्बन्धन/केन्द्र को ध्यानगत पत्रावली हेतु।
3. फाइल हेतु।



STATE: Uttar Pradesh

DATED: 24/02/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comin (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instr.	Std. Comm.	DGET			
15 Maghrath Singh Shri-Indra Memorial Private ITI, Rana Garh Pilibhit, Dist. Ghazabad Uttar Pradesh DGET-6/24/135/2010-TC	Fitter	Add. One Unit	-	Add. One Unit Total 3(1+1+1)*	Add. One Unit Total 3(1+1+1)*	DIR-13/12/2011 w.o.f. Feb 2012 *G/D must ensure that instructor must join the duty before admission of trainees.	
	Electrician	Add. One Unit	-	Add. One Unit Total 3(1+1+1)*	Add. One Unit Total 3(1+1+1)*		
16 Randon Private ITI, Borhampur, Rajtalab, Dist. Varanasi Uttar Pradesh DGET-6/21/18/50-TC	Electrician	Add. One Unit	-	Add. One Unit Total 9(3+3+3)	Add. One Unit Total 9(3+3+3)	DIR-15/1/2012 w.o.f. Feb 2012	
17 Sri Shiv Dasi Singh Private ITI, Murain Tala, Kachhara Road, Dist. Fatehpur Uttar Pradesh DGET-6/24/112/2010-TC	Electrician	Add. 4 units	-	Add. 4 units Total 12(4+4+4)	Add. 4 units Total 12(4+4+4)	DIR-30/11/2011 w.o.f. Feb 2012	
	Fitter	Add. 2 units	-	Add. 2 unit 3 rd Shift Total 6(2+2+2)	Add. 2 unit 3 rd Shift Total 6(2+2+2)		
	COPA	Add. One Unit	-	Add. One Unit Total 3(1+1+1)	Add. One Unit Total 3(1+1+1)		
18 Indira Devi Jhagaru Prasad Private ITI, Devari Rukhsa, Bukshi Ka Talab, Dist. Lucknow Uttar Pradesh DGET-6/24/151/2010-TC	Fitter	Add. One Unit	-	Add. One Unit Total 3(1+1+1)	Add. One Unit Total 3(1+1+1)	DIR-03/12/2011 w.o.f. Feb 2012	
	Electrician	Add. One Unit	-	Add. One Unit Total 3(1+1+1)	Add. One Unit Total 3(1+1+1)		

Signature and Stamp of the Director/Commissioner, DGET, Uttar Pradesh.



Name, Address & File No. of Institute	Trade	Units for which affiliation sought / recommended by			Remarks
		Instit.	QCI	Approval by Sub-Committee of NCVT	
190 Sri Shiv Ball Singh Private ITI, Main Toia, Kachhri Road, Dist. Fatehpur Uttar Pradesh DGET-6/24/112/2015-TC	Electrician	Addl. 6(2+2+2)	Addl. 6(2+2+2)	Addl. 6(2+2+2) Total 18(6+6+6)	Assessment-5/8/2015 App004286 w.e.f. Aug 2015
	Fitter	Addl. 6(2+2+2)	Addl. 6(2+2+2)	Addl. 6(2+2+2) Total 12(4+4+4)	
	Mech. Diesel	3(1+1+1)	3(1+1+1)	3(1+1+1)	
191 SSO Private ITI, Nagain Mohare Lahu Khern, Kheragari, Dist. Agra Pin-283124 Uttar Pradesh DGT-6/24/263/2015-TC (New Pvt.)	Electrician	12(4+4+4)	12(4+4+4)	12(4+4+4)	Assessment-20/8/2015 App002754 w.e.f. Aug 2015
192 K.D. Singh Private ITI, Vill. & Post. Marbar Bardsahi, Dist. Ballia Pin-277202 Uttar Pradesh DGET-6/24/110/2015-TC (New Pvt.)	Electrician	3(1+1+1)	3(1+1+1)	3(1+1+1)	Assessment-14/6/2015 App004750 w.e.f. Aug 2015
	Fitter	3(1+1+1)	3(1+1+1)	3(1+1+1)	
193 Rajbeer Singh Private ITI, Sakbar, Sakbar, Dist. Hathua Pin-281301 Uttar Pradesh DGT-6/24/294/2015-TC (New Pvt.)	Electrician	18(6+6+6)	12(4+4+4)	12(4+4+4)	Assessment-18/8/2015 App004504 w.e.f. Aug 2015
	Fitter	6(2+2+2)	NR	NC	
	Health Sanitary Inspector	6(2+2+2)	NR	NC	
	CCPA	3(1+1+1)	NR	NC	
194 Shree J.S. Private ITI, Vill. Ameerpur, Teh. Mahawan, Dist. Hathua Uttar Pradesh DGT-6/24/295/2015-TC (New Pvt.)	Electrician	12(4+4+4)	12(4+4+4)	12(4+4+4)	Assessment-20/8/2015 App003502 w.e.f. Aug 2015
	Fitter	6(2+2+2)	6(2+2+2)	6(2+2+2)	