

STATE: Uttar Pradesh



DATED: 24/12/2010

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Stal. Comm. (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. in Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Inatt.	Std. Comm.	DGET		
12. Premata ITC, Adarsh Nagar, Koriya, Po. Adampur, Dist. Varanasi Uttar Pradesh  DGET-6/24/150/2010-TC (New Pvt.)	Fitter	2(1+1)	2(1+1)	*	*	SCIR-1/8/2010 *No cash mem. is attached. *Major items Tools Equipment. & to clarify.
	Electrician	2(1+1)	2(1+1)	*	*	
	COPA	2(1+1)	2(1+1)	*	*	
13. Mahi Bhagawati ITC, Raipur Dist. Ghazipur Uttar Pradesh  DGET-6/24/196/2009-TC	Fitter	Add. One Unit		Add. One Unit Total 2(1+1+1)	Add. One Unit Total 2(1+1+1)	DIR-21/5/2011 w.e.7 Feb 2011 *This draft is pending as it bearing date 26.8.2010.
14. Khawaja ITC, Shaikhpur, Kamal Ganj Dist. Farrukhabad Uttar Pradesh  DGET-6/24/305/2010-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-11/5/2011 w.e.7 Feb 2011
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
15. Ram Datta Mishra ITC, Vill. Jogbeta Ahimant Dist. Sultanpur Uttar Pradesh  DGET-6/24/304/2010-TC (New Pvt.)	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-29/1/2011 w.e.7 Feb 2011
	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	

STATE: Uttar Pradesh



DATED: 18/08/2011

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)						
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Instit.	Std. Comm.	DGET		
108 Kiran Private ITI, Garh Road, Sisoli, Dist. Meerut Uttar Pradesh DGET-6/24/140/2010-TC	Electrician	Addl. One Unit	-	Addl. One Unit Total 3(1+1+1)	Addl. One Unit Total 3(1+1+1)	DIR-14/6/2011 w.e.f. Aug 2011
109 Khawaja Private ITI, Shaikhpur, Kamal Garj Dist. Farrukhabad Uttar Pradesh DGET-6/24/205/2010-TC	Electrician	Addl. One Unit	-	Addl. One Unit Total 3(1+1+1)	Addl. One Unit Total 3(1+1+1)	DIR-4/7/2011 w.e.f. Aug 2011
	Fitter	Addl. One Unit	-	Addl. One Unit Total 3(1+1+1)	Addl. One Unit Total 3(1+1+1)	
110 Hind Private ITI, Umarpur- Keshovpur Dist. J.P. Nagar Uttar Pradesh DGET-6/24/169/2011-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	*Rejected	*Rejected	SCIR-12/7/2011 *Instructors qualification is not as per NCVT norms atleast one should be diploma/degree in the relevant field.
	Fitter	2(1+1)	2(1+1)	*Rejected	*Rejected	
111 Kanpur Private ITI, Mirzapur, Panki Dist. Kanpur Nagar Uttar Pradesh DGET-6/24/202/2011-TC (New Pvt.)	Fitter	8(4+4)	8(4+4)	8(4+4)	8(4+4)	SCIR-30/6/2011 w.e.f. Aug 2011
112 Radha Gobind Private ITI, Duhai, Dist. Ghaziabad Uttar Pradesh DGET-6/24/203/2011-TC (New Pvt.)	Electronics Mechanic	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-11/7/2011 w.e.f. Aug 2011 *1. List of Tools & Equipment for Fitter trade incomplete. 2. Letter from the industry for providing CNC training not countersigned by NCVT nominee of standing committee.
	Fitter	2(1+1)	2(1+1)	*	*	