

L-1

STATE -UTTAR PRADESH **DATED-30.06.2006**

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm. (Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SJR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Sl. No.	Name, Address & File No. of Institute for ref. & Future correspondence	Trade	Units for which affiliation sought / recommended by			Remarks
			Instit.	Std. Comm.	DGET	
10	HWA Shah Educational & Technical ITC for Women, Near Ground Dewa Barahki, Uttar Pradesh DGET-62413/2005-TC (Pat)	COPA Data Entry Operator	2(1+1) One	2(1+1) One	2(1+1) One	SCIR-13/2/2006 w.e.f. February, 2006 both trades
11	Ch. Charan Singh Memorial ITC, Aizpur, Tehsil-Sordhana, Distt-Meerut, UP-203742 DGET-62478/2005-TC (Pat)	Electrician Fitter	4(2+2) 4(2+2)	4(2+2) 4(2+2)	4(2+2) 4(2+2)	SCIR-29/9/2005 w.e.f. August, 2005 both trades
12	Access Computer Education ITC, 16 A, Association Road, George Town, Allahabad, UP-211002 DGET-62418/2006-TC (Pat)	COPA	2(1+1)	2(1+1)	2(1+1)	SCIR-21/7/2006 w.e.f. February, 2006
13	National Institute of Tech. Education, North Vijnay Nagar Colony, Agra, UP-282004 DGET-6246/2006-TC (New Pat)	Steno (B) Steno (H) Sedf/Practice	2(1+1) 2(1+1) 2(1+1)	2(1+1) NR NR	2(1+1) NR NR	SCIR-4/10/2005 w.e.f. August, 2005 since not recommended by the standing committee *Rejected *Rejected

3

L-2

STATE-UTTAR PRADESH **DATED-22.2.2007**

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm. (Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SJR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Sl. No.	Name, Address & File No. of Institute for ref. & Future correspondence	Trade	Units for which affiliation sought / recommended by			Remarks
			Instit.	Std. Comm.	DGET	
	Gurukul Chaudhary ITC, Anandpur, Lucknow, Gorakhpur, UP DGET-6240/2006-TC (Pat)	Electrician Fitter	2(1+1) One	2(1+1) NR	2(1+1) NC*	SCIR-25/10/2006 w.e.f. August 2006 * Since not recommended by the Comm.
	Lakshmi V.V. & Training Centre, Indrakant Nagar, Gorakhpur, UP DGET-6241/2006-TC (New Pat)	Fitter	2(1+1)	2(1+1)	2(1+1)	SCIR-21/3/2006 w.e.f. Feb. 2006
	Ch. Charan Singh Memorial ITC, Aizpur, Tehsil-Sordhana, Distt-Meerut, UP-203742 DGET-62478/2005-TC (Pat)	Electrician Fitter	Add: 2(1+1) Add: 2(1+1)	Add: 2(1+1) Add: 2(1+1)	Add: 2(1+1) Add: 2(1+1)	SCIR-17/10/2006 Both trades w.e.f. August 2006 Total: 6 (2+2+2) Total: 6 (2+2+2)
	Narayan ITC, Pibhita Road, Bareilly (New) DGET-62479/2006-TC (New Pat)	COPA IT & ISM Fashion Train	2(1+1) 2(1+1) 2(1+1)	(1+1) 1(1) 1(1+1)	2(1+1) 2(1+1) 2(1+1)	SCIR-19/5/2006 Three trades, w.e.f. August 2006