

प्रेषक:

निदेशक
प्रशिक्षण एवं प्रशासनिक
उत्तर प्रदेश, लखनऊ

सेवा में:

संयुक्त निदेशक (विश्व)
भारत-संयुक्त राज्य
संघ

पत्रांक 16
दिनांक

2/21/3/2012/46/2006
प्रशिक्षण एवं प्रशासनिक परीक्षा विभाग, उत्तर प्रदेश, लखनऊ

दिनांक 03 जनवरी, 2012

भारत-संयुक्त राज्य संघ, प्रशिक्षण एवं प्रशासनिक परीक्षा विभाग, उत्तर प्रदेश, लखनऊ

संदर्भ:

संयुक्त निदेशक (विश्व) के पत्र में उल्लेख किया है कि प्रशिक्षण विभाग
लखनऊ में इलेक्ट्रिशियन व्यवसाय की कुल 21 एकक की मांगका प्राव है (भारत-संयुक्त राज्य
संघ के प्रशासनिक विभाग)।

उक्त सेवा में विभिन्न संस्थानों के प्रथम निदेशक द्वारा प्रेषित अनुरोध पत्र
दिनांक 01.01.2012 द्वारा उल्लेख किया गया है कि संस्थान में एक जुलाई, 2011 में 06 एकक
जुलाई 2012 में 07 एकक (क-ए-1) एकक तथा एक जनवरी 2012 में 06 एकक एवं
जनवरी, 2012 में 06 एकक (क-ए-2) एकक) की परीक्षा समवेतानुसार सम्पन्न होगी है।

उक्त संस्थान निदेशक द्वारा उल्लेख है कि उपरोक्तानुसार कार्यवाही करने का
वह भी सुनिश्चित कर ले कि प्रस्तावित संस्थान के प्रतिभागी अनुसूच्य संख्या प्राव एकक की
अनुसार ही परीक्षा में अतिरिक्त होगी है।

सहसंयुक्त संस्थान।

प्रमुख

(भारत-संयुक्त राज्य संघ)
प्रशिक्षण विभाग

पत्रांक 2/21/3/2012/46/2006

प्रशिक्षण एवं प्रशासनिक परीक्षा विभाग, उत्तर प्रदेश, लखनऊ

दिनांक 03
जनवरी, 2012

Date: 07/11/2000

Name of Male: Uday Prakash

Sl. No.	Name, Address & POC No. of Institute for past & future correspondence	Trade	Units for which application sought / recommended by			Remarks
			Inst.	St. Code	DGET	
6	Gajni Singh Mini ITC (ITT), Jammuaya, Dist. Jampur-223103 (UP) DGET-6/24/8/2000-TC (New Pvt.)	Fitter	Add. One in 2 nd shift	-	Add. One in 2 nd shift Total 2(1+1)	DJR-21.9.2000 w.e.f. Aug 2000
7	Addivat Mahila Adyogic & Shilpkala Shiksha Kendra ITC, Barabanki, Anam Nagar (UP) DGET-6/24/11/99-TC (Pvt.)	Cutting & Tailoring	One	-	One	SIR-26.6.2000 (SCIR-18.8.98) w.e.f. Aug 98 This clears the case kept UC on 20.4.2000
8	Indira Gandhi Memo. ITC- Hapur, Dist. Gaziabad-245101 (UP) DGET-6/24/13/01-TC (Pvt.)	Electrician Wireman	Add. One Add. One	- -	Rejected Add. One Total 2(1+1)	DJR-29.6.2000 4(2+2) units are already affiliated for 5 th unit SCIR is required. w.e.f. Aug 2000

1/10

The following information is furnished for the purpose of the above mentioned application. The applicant is a male. The above mentioned information is correct and true. The applicant is a male. The above mentioned information is correct and true.

STATE: Uttar Pradesh



DATED: 15/6/2019

4

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Com-
 (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR
 (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Instr.	Std. Comm.	DGET		
43 Indira Gandhi Memorial ITC, Delta Road, Hapur Dist-Gharisbad, Uttar Pradesh DGET-6/24/13/93-TC	Electrician	Add. 6(2+2+2)	Add. 6(2+2+2)	Add. 6(2+2+2) Total 18(6+6+6)	Add. 6(2+2+2) Total 18(6+6+6)	SCIR-30/11/2009 SIR-25/2/2010 w.e.f Aug 2010.
	Fitter	Add. 3(1+1+1)	Add. 3(1+1+1)	Add. 3(1+1+1) Total 10(5+5+5)	Add. 3(1+1+1) Total 15(5+5+5)	
	IT & ESM	Add. 2(0+0+2)	Add. 2(0+0+2)	Add. 2(0+0+2) Total 6(2+2+2)	Add. 2(0+0+2) Total 6(2+2+2)	
	Wireman	Add. 1(0+0+1)	Add. 1(0+0+1)	Add. 1(0+0+1) Total 3(1+1+1)	Add. 1(0+0+1) Total 3(1+1+1)	
	Steno. (Hindi)	2(1+1)	De-affiliation	De-affiliated	De-affiliated	
Stenography (Hindi) - 2(1+1) unit De-affiliated w.e.f Aug 2010						

Line of State : Uttar Pradesh

1/1

Date : 23/1/2001

12	Bagpat Hava TC, Dholi Road, Bagpat-Distt- Meerut Uttar Pradesh <u>DGET-624/1003-TC</u> (Pvt.)	Electrician Fitter	One addl.	One addl.	One addl. Total 3(2+1)	<u>SCIR-18-6-2001</u> W.e.f. August, 2001 *Rejected as gen machinery items are not available for addl. Unit of fitter trade. There should be two set of machinery to run two units in one shift.
13	Iqbal Gaidhi Memorial TC, Hapur, Distt- Gaziabad- 245101 Uttar Pradesh <u>DGET-624/13/03-TC</u> (Pvt.)	Electrician IT & ESM	2(1+1)	2(1+1)	Reject ed*	<u>SCIR-30-8-2001</u> * As General Machinery items are not available for addl. units (5 th & 6 th) of Electrician trade. W.e.f. August, 2001

M. Sharma

0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

Name of State : J.P.

Date 01/10/2002

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIB (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

S. No.	Name, Address & File No. of Institute for ref. & future correspondence	Trade	Units for which affiliation sought / recommended by			Remarks
			Instt.	Std. Com. m.	DGET	
18	Indira Gandhi Memorial Industrial Training Centre, Hapur - 245101 Dist. Ghaziabad (UP) DGET-6/24/13/93-TC (Pvt.)	Electrician Mech. Ref&AC Fitter	Addl. 4(2+2) 4(2+2) 4(2+2)	Addl. 4(2+2) 4(2+2) 4(2+2)	Addl. 4(2+2) 4(2+2) 4(2+2) Total 8(4+4)	SCIR dt. 13.06.2002 W.e.f. August 2002 <u>All Trades</u> S/Dir. may ensure appointment of G.I. before issue of affiliation order.
19	Govt. ITI Women (W.B) Railway colony, Gorakhpur Dist. (U.P.) DGET-6/24/18/2002-TC (New Instt.)	D/men (civil) Mechanic (R&V) Mechanic electronic	One One One	One NR NR	One Reject ed* Reject ed*	SCIR-dt. 28.5.2002 W.e.f. August 2002 *Since not recommended by standing committee.
20	Govt. ITI, Railway Colony, Gorakhpur (UP) DGET-6/24/21/2002-TC (Old Govt.)	D/man (Mech.)	One	One	Reject ed	SCIR-29-5-2002 Tool and equipment are short and instructors for w/cal. & S.S. have not been appointed.

(Signature)

100-1100-100

UP

(position as of 7.2.96)



100-1100-100 LTD.
c/o. (London, U.K.)
(London, U.K.)

100-1100-100

(7.2)

1. Director	-two units	-two units	-two units
(one unit in each shift)		(one unit in each shift)	(one unit in each shift)
			(v.e.f. Aug. 94)
2. Director	-four units	-four units	-four units
(two units in each shift)		(two units in each shift)	(two units in each shift)
			(v.e.f. Aug. 94)
3. Director	-two units	-two units	-two units
(one unit in each shift)		(one unit in each shift)	(one unit in each shift)
			(v.e.f. Aug. 94)
4. Director	-two units	-two units	-two units
(one unit in each shift)		(one unit in each shift)	(one unit in each shift)
			(v.e.f. Aug. 94)
5. Director	-two units	-two units	-two units
(one unit in each shift)		(one unit in each shift)	(one unit in each shift)
			(v.e.f. Aug. 94)

100-1100-100

position as of 7.2.96
for the units to be placed in description & time taken for each unit to be placed

(10)

100-1100-100
3/7/96

12/8/92
 10/8/92

निदेश
 प्रो. वि. ए. ए. सेवायोजना,
 उद्योग प्रदेग, लखनऊ

सेवा में,

Principal,
 Indira Gandhi Memorial IIT
 289, Awash Vilash Colony,
 Hapur, Garhbad.

लखनऊ दिनांक: 29 अगस्त, 1992

विषय: स्थायी समिति की निरोक्षण रिपोर्ट के आधार पर निजी औद्योगिक
 प्रशिक्षण संस्थानों/एग्रेसर्स/यूनिटों का स्थायी सम्बन्ध प्रदान किए
 जाने के बारे में महानिदेशक एवं प्रो. वि. ए. ए., नई दिल्ली के
 मुख्यालय पर गठित समिति द्वारा किए गए निर्णय की सूचना
 के सम्बन्ध में।

महोदय,

उपरोक्त निवेदन के सम्बन्ध में आपको सूचित किया जाता है कि आपकी
 संस्थान से संबंधित स्थायी समिति की निरोक्षण रिपोर्ट पर दिनांक 9-7-1992
 को महानिदेशक एवं प्रो. वि. ए. ए., नई दिल्ली के मुख्यालय पर राष्ट्रीय
 औद्योगिक प्रशिक्षण परिषद की उप समिति को बैठक सम्पन्न हुई। उप समिति
 द्वारा आपको संस्थान से संबंधित स्थायी समिति की निरोक्षण रिपोर्ट के बारे में
 भारत सरकार, डी.जी.डी.डी.ओ, एम. भंवाला, नई दिल्ली के पत्र संख्या-डी.जी.डी.डी.-6
 1 स्पेशल/92-टीसी, दिनांक 15-7-1992 के साथ संलग्न में उल्लिखित जो
 निर्णय लिया गया है, प्रितका उद्योग व्यवस्थापक को भेजा गया है :-

Sl. No.	Trades/Units for which affiliation Sought by IIT/ITC	Recommended by		Remarks/ Conditions Recommending affiliation (Ref. enclosed statement for codes)
		Standing Committee	D.G.E. & T.	
1-	Pitter 3/2	NIL	NIL	(n)
2-	Steno Hindi-2	NIL	NIL	
3-	Electrician- 2	1	1	ii, iv, v, vi
4-	Wireman - 2	1	1	

4

STATE - UTTAR PRADESH Date - 29.6.2004

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

S. No.	Name, Address & File No. of Institute for ref. & Future correspondence UTTAR PRADESH	Trade	Units for which affiliation sought / recommended by			Remarks
			Instit.	Std. Com m.	DGET	
9	Indira Gandhi Memorial ITC, Hapur Distt. Ghaziabad-245101 Uttar Pradesh. <u>DGET-6/24/13/93-TC (pvt)</u>	Electrician	Addl 2(1+1) (3 rd & 6 th)	Addl 2(1+1)	Addl 2(1+1) Total 6(3+3)	<u>SCIR-30.8.2001</u> w.e.f. August, 2001 Since consolidated list of tools & Equipment duly signed by Std. Committee is submitted
10	National ITC, Nakur Road, Sarsawan, Saharanpur Uttar Pradesh <u>DGET-6/24/5/92-TC (Pvt.)</u>	Fitter Fitter Electrician Welder	One Addl One Addl One Addl One	- - - -	One 2(1+1) 2(1+1) 2(1+1)	<u>SeIR - 19.06.2001</u> <u>SIR 02.03.2002</u> w.e.f. Aug., 2001 DIR dt. 08.08.2002 All trades w.e.f. Aug., 2002

P. Singh