

State Uttar Pradesh DGT-Aff011/5/2025-O/o DIR (TC)
Total – 11, (New-03, Existing-08)

Meeting Date: 28.04.2025

| Sl. No. | Name & Address of Institute | Trade for which affiliation sought | Units Sought by Institute | Units Recommended by SCAA | Remarks by SCAA |
|---------|---|---|---------------------------|---------------------------|---|
| 5. | Syed Shamsad Hussain PVt ITI, Balchand Patti, Sultanpur-228131 1809016577 New ITI | Electrician | 3(1+1+1) | 2(1+1) | SCAA recommended the following trades: 1. Electrician- 2(1+1) 2. Fitter- 2(1+1) 3. Wireman- 2(1+1) 4. Plumber- 2(1+1) |
| | | Fitter | 3(1+1+1) | 2(1+1) | |
| | | Wireman | 3(1+1+1) | 2(1+1) | |
| | | Plumber | 3(1+1+1) | 2(1+1) | |
| 6. | Ma Jasoda Private Industrial Training Institute Hardoi, Village Atara, Post Bheetha Dan, Block Ahirori, District Hardoi Pin Code: 241122 MIS Code: PR09901364 | Fitter | 2(1+1) | 2(1+1) | SCAA recommended the following trades: 1. Fitter additional unit 2(1+1) 2. Electrician additional unit 6(3+3) |
| | | Electrician | 6(3+3) | 6(3+3) | |
| 7. | Ingraham Industrial Training Institute Ghaziabad - Ghaziabad Ingraham Institute Hapur Road Ghaziabad - 201002 MIS Code: PR09000804 | Refrigeration and Air Conditioning Technician | 2(1+1) | 2(1+1) | SCAA recommended the following trade: Refrigeration and Air Conditioning Technician - 2(1+1) |
| 8. | Mansha Rai Private ITI - Ghazipur Vill Dhondhadih Distt Ghazipur - 223301 MIS Code: PR09001383 | Electrician | 10(3+3+4) | 6(3+3) | SCAA recommended the following trade: additional Electrician- 06(3+3) |
| | | Fitter | 1(0+0+1) | Not Recommended* | |


उज्ज्वल बिस्वास / UJJWAL BISWAS
निदेशक / Director
प्रधान मन्त्री महाविद्यालय / Director, Pt. C. Ganguli of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-110012 / Govt. of India - New Delhi-12

