

Speed Post

No. DGE&T-12/1/2008-TC
Government of India
Ministry of Labour and Employment
Directorate General of Employment and Training
<http://Dget.gov.in>



New Delhi, dated 28th March, 2008

To,

The State Directors/UT Administrators
Dealing with Craftsmen Training Scheme
(As per the list enclosed)


UP-3

Sir, Subject: Affiliation of Units/Trades of ITIs /ITCs with NCVT-regarding

The Standing Committee Inspection Reports (SCIRs), Departmental Inspection Reports (DIRs) and Supplementary Inspection Reports (SIRs) forwarded to DGE&T were put up before the members of the Sub-Committee of National Council for Vocational Training (NCVT) dealing with affiliation in its meeting held on 26th March 2008 at DGE&T (HQ), New Delhi for its consideration and approval.

The Committee examined the affiliation cases and accorded approvals in deserving cases (conforming to NCVT norms). A copy of the statement, duly signed, containing the names of ITIs /ITCs/Trades/Units, in respect of your State which have been approved/rejected, along with remarks if any is enclosed. The said information is also available for reference on internet <http://dget.gov.in> however hard copy duly signed would be treated as authenticated.

It may please be noted, that the cases which have been rejected, require fresh standing committee inspection / departmental inspection as the case may be. The State Director(s) are requested to enclose copy (s) of Building lease agreement, copy (s) of proof of availability of Power Supply along with copy(s) of Electricity consumption bill of ITI/ITCs and other documents with every affiliation report to enable us to process the same at DGE&T HQs, New Delhi". In case any document(s) in regional language, it should be translated in English and attested by an officer not below the rank of Joint Director.


गीता गौतम
प्रधानाचार्य

ज्ञान प्रगती औद्योगिक प्रशिक्षण केन्द्र
ए. ए. ए. नगर, गतजियाबाद ३०१००

(Standing Committee Inspection Report); DIR (Departmental Inspection report); Std. Comm. (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T/E (Tools & Equipment)

No.	Name, Address & File No. of Institute for ref. & Future correspondence UTTAR PRADESH	Trade	Units for which affiliation sought / recommended by			Remarks
			Instit.	Std. Com. ut.	UGET	
3.	Pt. Thakur Prasad Tripathi ITC, Abhuram Turkwalia, Distt-Gorakhpur-273006 Uttar Pradesh. <u>DGET-6/24/1/2004-TC</u> (New Pvt.)	Cutting & Sewing Steno.(H) COPA D/hitan (Civil)	One One One One	One One One NR	One One One *NC	<u>SCIR-18.8.03</u> All three trades w.e.f. August, 2003 * Since not recommended by Std. Committee.
4.	Gyan Bharti Industrial Centre, Krishna Nagar, Baghu, Vijay Nagar, Ghaziabad, Uttar Pradesh. <u>DGET-6/24/1/2003-TC</u> (Pvt.) (New)	Electrician Steno.(E)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	<u>SCIR-6.3.2003</u> Both trades w.e.f. Jan/August, 2003.
5.	AFWVA IITL Air Force, Chakeri, Kanpur-208008 Uttar Pradesh. <u>DGET-6/21/8/90-TC</u> (Pvt.)	Cutting & Tailoring	Add. One	-----	*UC	<u>DIR-21.18.03</u> w.e.f. August, 2003. * Trade has been renamed as Cutting & Sewing. SIR may be submitted within three months for availability of T/Es as per revised syllabus failing which UC stands withdrawn.

(Signature)

(K. L. SHARMA)

By Dir (Tug)

(Signature)

Administrative Officer
Gyan Bharti Industrial Training Centre
Tigri Road, Daga, Vijay Nagar,
Ghaziabad

गीता गोतम
प्रधानाचार्य

आन भारती औद्योगिक प्रशिक्षण केंद्र
भाग, विजयनगर, गाजियाबाद-200008

श्री ४३,
 विभाग एवं विवरण -
 नाम प्रवेश, भारत

दिनांक

प्रस्तावित/समाप्त/...

श्री ४३, श्री ४३, श्री ४३, श्री ४३, श्री ४३,
 विभाग एवं विवरण -

19.1.83

वर्षादि विवरण -
 वर्षादि विवरण -
 वर्षादि विवरण -

संशोधन विभाग -
 संशोधन विभाग -
 संशोधन विभाग -
 संशोधन विभाग -

1	2	3	4	5

Legend Used				
SCIP - Standing Committee Inspection Report				UC - Under Consideration
SIU - Supplementary Inspection Report				NR - Not Recommended
DIU - Departmental Inspection Report				NC - Not Considered
1 Filter	2(11)	2(11)	2(11)	SCIP-403-2003 All favorable
2 Electronic Arch	9(11)	2(11)	2(11)	January/August-2003
3 Propaganda	2(11)	1(11)	2(11)	P. 467-1/10/2003 D/- 27.1.2003
4 Information	2(11)	2(11)		Necessary classification sought from HQ
5 Memo (E)	2(11)			Subsequently

श्री ४३
 प्रधानाचार्य

ज्ञान भारती औद्योगिक प्रशिक्षण केंद्र
 बागू, विजयनगर, गाजियाबाद २०१०





STATE-UTTAR PRADESH.

DATED 28/3/2008

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence	Trade	Units for which affiliation sought / recommended by			Remarks
		Instt.	Std. Comm.	DGET	
1 Lord Krishna ITC, 31, Knowledge Park-1, Greater Noida UP DGET-6/24/1/2008-TC (Pvt./New)	Fitter	2(1+1)	2(1+1)	2(1+1)	SCIR-31/10/2007 All three trades w.e.f. Aug 2007
	Electrician	2(1+1)	2(1+1)	2(1+1)	
	Electronics Mechanic	2(1+1)	2(1+1)	2(1+1)	
	IT&ESM	2(1+1)	NR	NC	
2 Apex ITC, Chak Bhatoli, (New Refugee Colony Naini) Distt. Allahabad UP DGET-6/24/30/2007-TC (Pvt.)	Fitter	2(1+1)	2(1+1)	2(1+1)	SCIR-25/9/2007 w.e.f. Aug 2007
3 Gyan Bharti ITC, Krishna Nagar, Baghu, Vijay Nagar, Distt. Ghaziabad UP DGET-6/24/7/2003-TC	Electrician	Addl. 4 (1+1+2)	Addl. 4 (1+1+2)	Addl. 4 (1+1+2) Total 6(2+2+2)	SCIR-30/10/2007 All three trades w.e.f. Aug 2007 This supersedes the earliest order dt. 8.1.2008
	Fitter	Addl. 4 (1+1+2)	Addl. 4 (1+1+2)	Addl. 4 (1+1+2) Total 6(2+2+2)	
	Electronics Mechanic	Addl. 4 (1+1+2)	Addl. 4 (1+1+2)	Addl. 4 (1+1+2) Total 6(2+2+2)	


गीता गौलम
प्रधानाचार्य
ज्ञान भारती औद्योगिक प्रशिक्षण केंद्र
बागू, विजयनगर, गाजियाबाद उत्तरप्र


निदेशक कि. वि. / अधीक्षक (वि. वि.)
एन. ए. ए. / DGET
एन. ए. ए. / एन. ए. ए.
Ministry of Labour & Employment