

(5)

STATE- UTTAR PRADESH.

Dated-30.12.2003

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection report); Sd Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tool & Equipment)

S. No	Name, Address & File No. of Institute for ref. & correspondence	Trade	Units for which affiliation sought / recommended by			Remarks
			Instt.	Std. Comm.	DGET	
10	Gyanodaya ITC, P.O. Agricultural School, Khurja Road, Buland Shahar Distt Uttar Pradesh.	Fitter	2(1+1)	One	One	SCIR-10.7.2003 Both trades w.e.f. August, 2003
		Electronics Mech.	2(1-1)	One	One	
<u>DGET-6/24/10/2003-TC (Pvt. New)</u>						
11	Shri Ummed ITC, Myana (Akalpur) P.O. Rabupura. Distt.-G.B. Nagar-203209. U.P.	Fitter	One	One	One	SCIR-11/12.7.2003 Both trade w.e.f. Aug. 2003 *S/D may ruin SIR within three months after procurement of Tools & Equipment as per revised syllabus of the trade Cutting & sewing failing which UC stands withdrawn
		Cutting & Tailoring	One	One	UC*	
		Electrician	One	NR	NC	
		COPA	One	NR	NC	
<u>DGET-6/24/11/2003-TC New Pvt.</u>						
12	Shri Shankara Sharm Mahavidyapith Mini ITC, Sikhar, Mirjapur U.P	Fitter	Addl. Two	--	Addl. Two	SCIR-13.11.2002 SIR-30.6.2003 w.e.f. Aug 2003
<u>DGET-6/24/11/2000-TC Pvt. (Pt)</u>						

*(Signature)*

Principal  
Gyanodaya I.T.I.  
Bulandshahr

Principal  
Gyanodaya I.T.I.  
Bulandshahr