

STATE: UTTAR PRADESH



DATED: 14/11/2008

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Instt.	Std. Comm.	DGET		
5 Ram Adhar Singh Smiriti ITC, Kalhanama, Distt. Jaunpur UP DGET-6/24/31/2008-TC (new/pvt.)	Fitter	12(6+6)	4(2+2)	4(2+2)	4(2+2)	SCIR-29/9/2008 Both trade w.e.f Aug 2008
	Electrician	12(6+6)	2(1+1)	2(1+1)	2(1+1)	
6 Shri K.S ITC, Aggarwal Mandi Taliri, Distt. Bhagpat UP DGET-6/24/32/2008-TC (new/pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-4/9/2008 Both trade w.e.f Aug 2008
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
7 Shri Pandit Hukum Singh ITC, Atas, Varindavan, Distt. Mathura UP DGET-6/24/34/2008-TC (new/pvt.)	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-4/9/2008 w.e.f Aug 2008.
	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
8 Amar ITC, Indupram Colony, NH-2, Distt. Mathura UP DGET-6/24/37/2008-TC (new/pvt.)	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-2/9/2008 Both trade w.e.f Aug 2008
	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
9 Indian Instt. Of Computer Learning, A1, Lekhraj-I, Faizabad Road, Indra Nagar Distt. Lucknow UP DGET-6/24/35/2008-TC (new/pvt.)	COPA	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-8/9/2008 w.e.f Aug 2008

-2-

Secretary
State Council of Technical Education
Lucknow

STATE: Uttar Pradesh



DATED: 06/12/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (In any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)						
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks	
		Instt.	Std. Comm.	Approval by Sub-Committee of NCVT		
77 Late. Shobha Nath Singh Private ITI, VIII-Balli Porwa (Chih), Dist-Mirzapur Uttar Pradesh DGET-6/24/199/2011-TC	Fitter	4(2+2)	4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-14/8/2012 SIR-11/10/2012 w.e.f.Feb 2013	
78 Maa Vaishnavai Private ITI, Barahpur, Nandgang-Dist-Ghazipur Uttar Pradesh DGET-6/24/429/2012-TC	Fitter Electrician	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	SCIR-28/8/2012 SIR-17/10/2012 w.e.f. Aug 2012	
79 Sh. K.S. Private ITI, Aggarwal Mandi, Tatri, Dist-Baghat Pin-250601 Uttar Pradesh DGET-6/24/32/2008-TC	Electrician	Addl. 6(3+3)	Addl. 4(2+2)	Addl. 4(2+2) Total 6(3+3)	SCIR-18/8/2012 SIR-25/9/2012 w.e.f.Feb 2013	
Joynti Private ITI, VIII-Tigai Akbarpur Rura Road, Akbarpur, Dist-Ramahal Nagar Uttar Pradesh DGET-6/24/405/2012-TC	Fitter Electrician Cutting & Sewing	2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1)	SCIR-30/8/2012 SIR-17/10/2012 w.e.f.Feb 2013	
81 Satyabhama Private ITI, Bhaukapur, Bijnaur, Dist-Lucknow Pin-226005 Uttar Pradesh DGET-6/24/231/2012-TC	Fitter Electrician	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	SCIR-27/7/2012 SIR-17/10/2012 w.e.f.Feb 2013	