

No. DGT-12/1/2018-TC (Part)
 Government of India
 Ministry of Skill Development and Entrepreneurship
 Directorate General of Training

Employment Exchange Building,
 1st floor, Pusa, New Delhi,
 Dated: 7th August, 2019

To

The State Directors,
 (Andaman & Nicobar Island, Andhra Pradesh, Assam, Bihar, Chandigarh, Delhi,
 Chhattisgarh, Gujarat, Haryana, Himachal Pradesh, Jharkhand, Karnataka, Kerala,
 Lakshadweep, Meghalaya, Madhya Pradesh, Maharashtra, Odisha, Rajasthan, Tamil Nadu,
 Uttarakhand, Tripura, Uttar Pradesh, West Bengal,) dealing with craftsman Training
 scheme.

Subject: Affiliation of Units/Trades of Govt. /Pvt. ITIs with NCVT.

Sir,

The proposals of affiliation of trade(s)/Unit(s) with NCVT received along with recommendation of standing committee inspection reports from the respective State Government. These were scrutinized and put up before the members of the Recommendation Committee of Directorate General of Training (DGT) dealing with affiliation of ITIs in its meeting held on 31st July, 2019 at DGT, MSDE, New Delhi for its consideration and approval.

2. The Recommendation Committee of DGT examined affiliation proposals and accorded approval to the proposals conforming to the NCVT Norms, as per the list enclosed herewith.
3. The affiliation of the trade(s)/unit(s) stated above are further subjected to,
 - Periodic verification.
 - The ITI must comply with NCVT norms/guidelines issued from time to time.
 - ITI must display the newly released logo of ITI on the Display Board at the main gate.
4. The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.
5. In case of any discrepancy observed in the affiliation order, same may be intimated to undersigned within 15 days after the date of issue of order.

Yours Sincerely


 (Sunil Kr. Gupta)
 Director of Training

Copy along with enclosures for information to:

1. NCVT MIS Portal in charge, DGT Hqr. New Delhi, with request to upload these orders on NCVT MIS Portal.
2. Guard File
3. All Concerned Institutes.


 (Ravi Chitukoti)
 Joint Director of Training

STATE: Uttar Pradesh



DATED: 08/06/2011

Note - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (In any CII module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instl.	Std. Comm.	DGET			
1. Rajprabha ITC, Bangala (Raj Nagar), Jhunjir Bazar Medical Road, Dist. Gorakhpur Uttar Pradesh DGET-6/24/189/2010-TC	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-1/4/6/2010 SIR-24/12/2010 w.e.f. Aug 2011	
	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
2. Mahanagar ITC, Rajendra Nagar(Lachhimpur) Dist. Gorakhpur Uttar Pradesh DGET-6/24/200/2010-TC	Fitter	2(1+1)	2(1+1)	.	.	SCIR-2/8/2010 SIR-30/4/2011 *Enclosed documents are not authenticated by S/D. S/D to forward attested copies.	
	Electrician	2(1+1)	2(1+1)	.	.		
3. Govt. ITI, Bida Dist. Basti Uttar Pradesh DGET-6/24/39/2011-TC (New Govt.)	Med. Consumer Electronics	One Unit	One Unit	*Rejected	*Rejected	SCIR-8/3/2011 * Fresh SCIR for minimum two units to be forwarded to DGET as per DGET order no. DGET 19(12)/2010-CD dated 05.05.2010.	
	Fashion Technology	One Unit	One Unit	*Rejected	*Rejected		
	Dress Making	One Unit	One Unit	*Rejected	*Rejected		
	Welder	One Unit	One Unit	*Rejected	*Rejected		
4. Hriday Narayan Singh ITC, VIL Bhawanipur, Post-Bakurshpur Dist. Deoria Uttar Pradesh DGET-6/24/43/2011-TC (New Pvt.)	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-18/2/2011 w.e.f. Aug 2011	
	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
5. Shri Lal Bhadar Shekri ITC, Gola Bazar Dist. Gorakhpur Uttar Pradesh DGET-6/24/4/06-TC	Fitter	Add. One Unit	.	Add. One Unit Total 6(2+2+2)	Add. One Unit Total 6(2+2+2)	DIR-30/09/2010 w.e.f. Aug 2011	

-1-
J. C. SINGH
Joint Director, Training Officer
District Industries Training, D.A.C.O.T.
Ministry of Labour & Employment
110011/Dept. of Inds
& Trade/New Code

STATE: Uttar Pradesh.




DATED: 27/07/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (In any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Address & File No. of Unit for rel. & Future reference draft	Trade	Units for which affiliation sought / recommended by			Remarks
		Instit.	Std. Comm.	Approval by Sub-Committee of NCVT	
Member Pt. III, Plot No. 334, Vohra Karna Industrial Estate, Simsbati Road, Ghaziabad, Uttar Pradesh DGET-29/70/2012-TC	Electrician	4(2+2)	4(2+2)	4(2+2)	SCIR-15/5/2012 SIR-13/7/2012 w.e.f. Aug 2012
	Fitter	4(2+2)	4(2+2)	4(2+2)	
Shri. Chhokra Private IT, Vihar Nagar, Devaroi, Dist. Agra, Uttar Pradesh DGET-6/24/61/2012-TC	Electrician	4(2+2)	4(2+2)	4(2+2)	SCIR-17/4/2012 SIR-13/7/2012 w.e.f. Aug 2012
Kusum Private IT, VII, Gurwara, P. O. Misra, Dist. Allahabad, Uttar Pradesh DGET-6/24/73/2009-TC	Fitter	Addl. One Unit		Addl. One Unit	DIR-24/12/2011 w.e.f. Aug 2012
	Electrician	Addl. One Unit		Addl. One Unit	
Shri. Chhokra Private IT, Vihar Nagar, Devaroi, Dist. Agra, Uttar Pradesh DGET-6/24/61/2012-TC	Electrician	Addl. 4(2+2)	Addl. 4(2+2)	Addl. 4(2+2)	SCIR-27/03/2012 SIR-08/05/2012 SIR-12/7/2012 w.e.f. Aug 2012
				Total 14(6+6+2)	
Shri. Chhokra Private IT, Vihar Nagar, Devaroi, Dist. Agra, Uttar Pradesh DGET-6/24/61/2012-TC	Fitter	Addl. One Unit		Addl. One Unit	DIR-30/5/2012 w.e.f. Aug 2012
	Electrician	Addl. One Unit		Addl. One Unit	
				Addl. One Unit	
				Total 3(1+1+1)	

श्री. चक्रवर्ती सिंह निदेशक (आर.एम.डी.)
प्रधान निदेशक / आर.एम.डी.
(डी.ओ.ई. एवं टी.) एवं एन.टी.ए. संयोजक
(ए.ए.टी.) / एन.टी.ए. संयोजक
(ए.ए.टी.) / एन.टी.ए. संयोजक



STATE:Uttar Pradesh

Dated: 31/07/2019

Total - 19(Old-8/New-11)

Affiliation of Trade/Units with NCVT

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
16.	Lt. Rudra Pratp Pvt. ITI, Chhapra Sultanpur, Azamgarh 276124, UP		New	Electrician Fitter Welder Sewing Technology	N.R. N.R. N.R. N.R.	N.R. N.R. N.R. N.R.	w.e.f. August 2019 * NR due to shortage of TE
19.	Lal Bahadur Shastri Pvt. ITI, Gola Bazar, Dist. Gorakhpur, Uttar Pradesh		Existing	Electrician	4(0+0+4)	4(0+0+4)	w.e.f. August 2019

02/08/19

Signature
8/8/19

NOTE:- Within 2 months ITI should rectify the deficiencies and get inspected for remaining not recommended trades.