

Name of State : UP

Date 01/10/2002

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)						
S. No	Name, Address & File No. of Institute for ref. & future correspondence	Trade	Units for which affiliation sought / recommended by			Remarks
			Instt.	Std. Com m.	DGET	
14.	Khair Technical Centre (ITC) Vill. PO - Domariaganj, Distt. Siddharath Nagar (UP) <u>DGET-6/24/14/2000-TC (Pvt.)</u>	Electrician COPA	One 2(1+1)	One NR	One Reject ed*	<u>SCIR dt. 31.05.2002</u> <u>W.e.f. August .2002</u> * Since not recommended by Std. Comm.
15.	Unity Training Centre, Napier Road, Husainabad, Lucknow- Distt., (UP) <u>DGET-6/24/6/96-TC (Pvt.)</u>	Hair and Skin Care	One	One	One	<u>SCIR dt. 21.05.2002</u> <u>W.e.f. August .2002</u>
16.	Rastriya Industrial Training Centre, Renukoot Sonebhadra Distt., (UP) <u>DGET-6/24/14/2002-TC (Pvt.)</u>	Fitter	4(2+2)	4(2+2)	4(2+2)	<u>SCIR dt. 12.06.2002</u> <u>W.e.f. August .2002</u> S/Dir. may ensure appointment of allied trade, W/Shop Cal., Engg. drg. Instructors before issue of affiliation order.
17.	Indrapati Industrial Training Centre, Gairwah, Jaunpur Distt., (UP) <u>DGET-6/24/12/2000-TC (Pvt.)</u>	Electrician Fitter	Addl. One Addl. One	Addl. One Addl. One	Addl. One Total 2(1+1) Addl. One Total 2(1+1)	<u>DIR dt. 27.06.2000</u> <u>W.e.f. August .2001</u> <u>Both trades</u>