

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T & E (Tools & Equipment)

Sl. No.	Name, Address & File No. of Institute for ref. & future correspondence	Trade	Units for which affiliation sought / recommended by			Remarks
			Govt.	Std. Comm.	DGET	
	Gang Singh ITC, Jannayia, Distt-Jaunpur-223103 Uttar Pradesh	COPA	2(1+1)	2(1+1)	2(1+1)	<u>SCIR-23-6-2001</u> Both trades w.e.f. August 2001
	<u>DGET-6/24/3/2001-TC</u> (Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	
	✓ Ram Sagar Singh ITC, Vill. & Post Office Gairwah, Distt-Jaunpur Uttar Pradesh	Fitter Electrician	One One	One One	One One	<u>SCIR-23-6-2001</u> Both trades w.e.f. August, 2001
	<u>DGET-6/24/4/2001-TC</u> (Pvt.)					
	Kelawati Mini ITC, Bholapur, Bareilly Uttar Pradesh	COPA	2(1+1)	2(1+1)	UC*	<u>SCIR-27-6-2001</u> W.e.f. Aug., 2001 Submit SIR within three months after augmenting P.S. to 12 KW
	<u>DGET-6/24/9/2001-TC</u> (Pvt.)					
		Cutting & Tailoring	2(1+1)	2(1+1)	2(1+1)	W.e.f. Aug., 2001
		Electrician	2(1+1)	NR	Reject ed	As not recommended by Standing Committee.
	M.A. Academy of Education ITC, 50, Gwynne Road, Aminabad, Lucknow-226018 Uttar Pradesh	COPA	2(1+1)	2(1+1)	2(1+1)	<u>SCIR-14-7-2001</u> w.e.f. Aug. 2001 S/Dir. may ensure the availability of furniture items as per norms before issue of the affiliation order.
	<u>DGET-6/24/8/2001-TC</u> (Pvt.)					

प्रधानाचार्य

भारत की एस० आई० टी० की
संस्था नौनगर

(M) Dhoni