

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection report); Std. Com. (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

S. No	Name, Address & File No. of Institute for ref. & future correspondence	Trade	Units for which affiliation sought / recommended by			Remarks
			Instit.	Std. Com. m.	DGET	
21	R.P.S. Janta ITC, Ratpura Teh. Thakurnadwara Distt. Moradabad (UP) <u>DGET-6/24/19/2002-TC</u> (New Pvt.)	Fitter Electrician Electronic Mech. Welder	One One One One	One One One One	One One One One	<u>SCIR-8-7-2002</u> <u>W.e.f. August 2002</u> <u>(All Trades)</u>
22	Govt. IIT Ghaziabad (UP) <u>DGET-6/19/23/81-TC(PE)</u> (Govt.)	Machinist M.M.V.	One add. One add.	- -	NC NC	<u>DIR-13-9-02</u> As the 2 unit of these trades were already utilized as per record.
23	Ram Bhujarat Singh, ITC, Village and post Gairwah, Distt. Jaunpur (UP) <u>DGET-6/24/4/2001-TC</u> (Pvt.)	Fitter Electrician	One add. One add.	- -	One add. Total 2(1+1) One add. Total 2(1+1)	<u>DIR-13-9-2002</u> <u>W.e.f. August 2002</u> <u>(Both Trades)</u>

प्रधानाचार्य

आर० बी० एस० आई० टी० सी०

गैरवाह नोनदर

148