



STATE: Uttar Pradesh

DATED: 28/06/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CII module) of DGET field Institute.

<i>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&amp;E (Tools &amp; Equipment)</i>						
c, Address & File No. of tube for ref. & Future dependence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Instit.	Std. Comm.	DGET		
M.M. College of Private ITI, Manoto Street, Dist. Kanungo, (Kanshiram Nagar) Uttar Pradesh  DGET-6/24/32/2012-TC (New Pvt.)	Electrician	4(2+2)	4(2+2)	*	*	SCIR-20/4/2012 *1. Principal has not signed on joining report. 2. Bill of electricity is in the name of Pooja Maheshwar % Rajan Maheshwar. 3. Employability instructor is not appointed. S/D to clarify.
	Fitter	2(1+1)	2(1+1)	*	*	
Raj Pesh Shree Private ITI, Tama, Ganeshpur, Haraha Dist. Varanasi Uttar Pradesh  DGET-6/24/14/2012-TC (New Pvt.)	Fitter	2(1+1)	2(1+1)	*	*	SCIR-6/3/2012 *Sh. Pavindra Nath Instructor Electrician having SCVT certificate in place of NCVT. # Copy of Electric bill is not enclosed. S/D to clarify.
	Electrician	2(1+1)	2(1+1)	*Rejected	*Rejected	
Modern Private ITI, Bimaur, Bahruich Road, Dist. Gonda Uttar Pradesh  DGET-6/24/130/2010-TC	Fitter	Addl. 2 units	-	*	*	DIR-7/4/2012 *The experience certificate of instructor engaged is not enclosed. S/D to forward.
	Mech. Diesel	Addl. 2 units	-	*	*	
	Welding	Addl. One Unit	-	*	*	
Dr. Satya Deo Singh Private ITI, Vill. Akampur, Post. Jamuniya Dist. Jaunpur Uttar Pradesh  DGET-6/24/25/2006-TC	Fitter	Addl. 4 units	-	Addl. 4 units Total 24(8+8+8)	Addl. 4 units Total 24(8+8+8)	DIR-28/02/2012 SIR-29/5/2012 w.e.f. Aug 2012

STATE: UTTAR PRADESH



DATED: 18/7/2008..

*CIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Stal. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)*

Address & File No. of site for ref. & Future reference	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Instit.	Stal. Comm.	DGET		
Pyari Devi ITC, VII & Post- PBhini, Distt. Jaunpur UP  DGET-6/24/26/2006-TC (pvt.)	Fitter	Add. 4 (0+0+4)	Add. 4 (0+0+4)	Add. 4 (0+0+4) Total 12 (4+4+4)	Add. 4 (0+0+4) Total 12 (4+4+4)	SCIR-21/6/2008 Both trades w.e.f Aug 2008
	Electrician	Add. 4 (0+0+4)	Add. 4 (0+0+4)	Add. 4 (0+0+4) Total 12 (4+4+4)	Add. 4 (0+0+4) Total 12 (4+4+4)	
Sardar Patel ITC, Kalinai, Distt. Mirzapur UP  DGET-6/24/8/96-TC (pvt.)	Fitter	Add. 6 (2+2+2)	Add. 6 (2+2+2)	Add. 6 (2+2+2) Total 22 (8+8+6)	Add. 6 (2+2+2) Total 22 (8+8+6)	SCIR-22/6/2008 All four trades w.e.f Aug 2008
	Electrician	Add. 6 (2+2+2)	Add. 6 (2+2+2)	Add. 6 (2+2+2) Total 16 (5+5+4)	Add. 6 (2+2+2) Total 16 (5+5+4)	
	Electronics Mechanic	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
	Welder	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
Janhikari ITC, VIII+PO Maharapur Distt. Jaunpur UP  DGET-6/24/17/2006-TC (new/pvt.)	Fitter	8(4+4)	8(4+4)	8(4+4)	8(4+4)	SCIR-21/6/2008 Both trades w.e.f Aug 2008
	Electrician	8(4+4)	8(4+4)	8(4+4)	8(4+4)	
VIII Aharpur, Po Jamuniya Distt. Jaunpur Pin-223103 UP  DGET-6/24/25/2006-TC (pvt.)	Fitter	Add. 4 (0+0+4)	Add. 4 (0+0+4)	Add. 4 (0+0+4) Total 12 (4+4+4)	Add. 4 (0+0+4) Total 12 (4+4+4)	SCIR-21/6/2008 Both trades w.e.f Aug 2008
	Electrician	Add. 4 (0+0+4)	Add. 4 (0+0+4)	Add. 4 (0+0+4) Total 12 (4+4+4)	Add. 4 (0+0+4) Total 12 (4+4+4)	

STATE COUNCIL OF TECHNICAL EDUCATION  
UTTAR PRADESH  
11, RAJENDRA NAGAR  
LAKHIMPUR KHATI, DISTT. MURADABAD  
U.P. 221002



SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence	Trade	Units for which affiliation sought / recommended by			Remarks
		Instit.	Std. Comm.	DGET	
33 Pyari Devi ITC, Vill & Post Pilkhina, Distt. Jaunpur UP  DGET- 6/24/26/2006-TC	Electrician	8(4+4)	8(4+4)	8(4+4)	SCIR-8/7/2006 Both trades w.e.f. Aug 2006 Infrastructural facilities were re- verified and were found in order by central high pow committee.
	Fitter	8(4+4)	8(4+4)	8(4+4)	
34 Rashtriya ITC, Renukoot (Mardhawa), Distt. Sonbhadra, Pin-231217 UP  DGET- 6/24/14/2002-TC (Part)	Fitter	Add. 2 unit in 3 <sup>rd</sup> shift	Add. 2 unit in 3 <sup>rd</sup> shift	Add. 2 unit Total 6(2+2+2)	SCIR-17/10/2006 All three trades w.e.f. Aug 2006 Infrastructural facilities were re- verified and were found in order by central high pow committee.  *Since not recommendation Std. Committee
	Electrician	Add. 2 unit in 3 <sup>rd</sup> shift	Add. 2 unit in 3 <sup>rd</sup> shift	Add. 2 unit Total 6(2+2+2)	
	Instt. Mech	2(1+1)	NR	NC*	
35 Sardar Patel ITC, Kailhet, Sajhauli, Distt. Mirzapur UP  DGET-6/24/8/96-TC	Fitter	Add. 4(2+2)	Add. 4(2+2)	Add. 4 Total 16(6+6+4)	SCIR-21/2/2006 Both trades w.e.f. Feb 2006 Infrastructural facilities were re- verified and were found in order by central high pow committee.
	Electrician	Add. 4(2+2)	Add. 4(2+2)	Add. 4 Total 10(4+4+2)	
36 ✓ Dr. Satya Deo Singh ITC, Vill. Aharpur, Post Jamuniya, Distt. Jaunpur Pin-223103 DGET- 6/24/25/2006- TC(NEW)	Electrician	8(4+4)	8(4+4)	8(4+4)	SCIR-7/7/2006 Both trades w.e.f. Aug 2006 Infrastructural facilities were re- verified and were found in order by central high pow committee.
	Fitter	8(4+4)	8(4+4)	8(4+4)	

SCIR (Standing Committee Inspection Report); D/R (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplemental Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence	Trade	Use-1: for which affiliation sought / recommended by			Remarks
		Instit.	Std. Comm.	DGET	
1. ✓ Dr. Satya Deo Singh, ITC, Vill. Ahurpur, Post - Jamuniya, District-Jaunpur U.P. - 223103  DGET - 6/24/25/2006 - TC New Pvt.	Electrician  Fitter	8(4+4)  8(4+4)	8(4+4)  8(4+4)	8(4+4)*  8(4+4)*	<u>SCIR-7.7.2006</u>  Both trades w.e.f. August 2006  *Case is subject to satisfactory report of r verification committee
2. Pyari Devi ITC, Vill & Post Pitkham, District-Jaunpur U.P.  DGET - 6/24/26/2006 - TC New Pvt.	Electrician  Fitter	8(4+4)  8(4+4)	8(4+4)  8(4+4)	8(4+4)*  8(4+4)*	<u>SCIR-8.7.2006</u>  Both trades w.e.f. August 2006  *Case is subject to satisfactory report of r verification committee
3. Uma Nath Singh Smriti Industrial Training Sewa Centre (ITC), Shankarganj, Maharopur, Jaunpur . UP DGET - 6/24/9/2006- TC Pvt.	Electrician  Fitter	2(2+) 4(1+1+2)  Addl 4(1+1+2)	Addl 4(1+1+2)  Addl 4(1+1+2)	*Addl 4(1+1+2) Total 12(4+4+4)  *Addl 4(1+1+2) Total 12(4+4+4)	<u>SCIR-18.10.2006</u>  Both trades w.e.f. August 2006  *Case is subject to satisfactory report of r verification committee.
4. Raj ITC, Raya Mathura U.P.  DGET - 6/24/27/2006- TC Pvt. New	Electrician  Fitter  Machinist	2(1+1)  2(1+1)  2(1+1)	2(1+1)  2(1+1)  2(1+1)	2(1+1)  2(1+1)  2(1+1)	<u>SCIR-1.7.2006</u>  All trades w.e.f. August 2006

P. Singh

J. Singh