

STATE: U.P



DATED: 17/8/2009

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Instn.	Std. Course	DGET		
34 Sh Sankar Mohan ITC, Vill. Dand Field, P.O. Bani Bani (Kashganj) Dist. S.B.N. (Shahdol) Uttar Pradesh  DGET-6/24/184/2009-TC (New Pet)	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCB-18/7/2009 w.e.f Aug 09
	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
35 Yamuna Devi ITC, Pura Belua, Dist. Chandaul Uttar Pradesh  DGET-6/24/183/2009-TC (New Pet)	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCB-18/7/2009 w.e.f Aug 09
	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
36 Sankh ITC, Mohan Lal Ka Pokhra Ruzai, Dist. Ghazipur Pin-233001 Uttar Pradesh  DGET-6/24/182/2009-TC (New Pet)	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCB-18/7/2009 w.e.f Aug 09
	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
37 Ram Nath Munchi ITC, Sadal, Dist. Ghazipur Uttar Pradesh  DGET-6/24/175/2009-TC (New Pet)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCB-18/7/2009 w.e.f Aug 09
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
38 Vibhuti Chauhan Smart ITC, Gunadham Colony, Faizbag, Dist. Jaunpur Uttar Pradesh  DGET-6/24/186/2009-TC (New Pet)	Fitter	4(2+2)	4(2+2)	4(2+2)	4(2+2)	SCB-18/7/2009 w.e.f Aug 09
	Electrician	4(2+2)	4(2+2)	4(2+2)	4(2+2)	

आर्य  
संकेत अधीनस्थ प्रशिक्षण केन्द्र  
संयोजक का पेशवा कैंप-गोरखपुर-13

आर्य  
संयोजक का पेशवा कैंप-गोरखपुर  
संकेत अधीनस्थ प्रशिक्षण केन्द्र  
संयोजक का पेशवा कैंप-गोरखपुर



STATE: Uttar Pradesh

DATED: 30/06/2011

Note: As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to ensure 30% instructors every year for Training to Trainer Program for any CTE institute of DGET (not Institute).

SCIR (Standing Committee Inspection Report); DII (Departmental Inspection Report); Sd. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIW (Supplementary Inspection Report); PE (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future of correspondence draft	Trade	Units for which affiliation sought / recommended by *			Approved by Sub-Commission of NCVT	Remarks
		Instr.	Std. Centers	DGET		
Bajon Devdasen Aggarwal Private IIT, Shrihar Nagar, Meerut Bakh (Delhi) Dist. Meerut Uttar Pradesh DGET-6/24/18/2009-TC	Fitter	1(1+1)		1(1+1)	1(1+1)	188-105/2011 w.e.f. Aug 2011
	Electrician	1(1+1)		1(1+1)	1(1+1)	
Sarthak Private IIT, Mohan Lal Ka Pathra Raun, Dist. Ghazipur Pin-220001 Uttar Pradesh DGET-6/24/18/2009-TC	Fitter	1(1+1)		1(1+1)	1(1+1)	188-105/2011 w.e.f. Aug 2011
	Electrician	1(1+1)		1(1+1)	1(1+1)	
Hari Ram Rastriya Private IIT, Halmaoed Dist. Meerut Pin-226431 Uttar Pradesh DGET-6/24/18/2009-TC	Fitter	1(1+1)		1(1+1)	1(1+1)	188-105/2011 w.e.f. Aug 2011
	Electrician	1(1+1)		1(1+1)	1(1+1)	
Subangor Private IIT, No. 1, Royal Industrial Estate Lucknow, Dist. Subangor Uttar Pradesh DGET-6/24/22/2009-TC	Electrician	4(2+2)	4(2+2)	4(2+2)	4(2+2)	188-105/2011 w.e.f. Aug 2011
	Fitter	4(2+2)	4(2+2)	4(2+2)	4(2+2)	
DGET-6/24/74/2011-TC (New Pvc) Indira Gandhi Private IIT, C-41, MP-51 D.C., Noida Dist. Alakhnand Uttar Pradesh DGET-6/24/27/2011-TC	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	188-105/2011 w.e.f. Aug 2011

-18-

Anil  
DGT-1000

Anil  
DGT-1000

यदि अधिकारियों द्वारा कोई भी शिकायत मिलती है तो उसे तुरंत ही ध्यान में लेकर, तत्काल कार्रवाई करने का प्रयास किया जाएगा।



STATE: Uttar Pradesh

DATED: 25/09/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Sl. No.	Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by		Approval by Sub-Committee of NCVT	Remarks
			Instit.	Std. Comm.		
12	Asha Private ITI, Near Gas Plant Airport Road, Behatpur, Dist. Varanasi Uttar Pradesh DGET-6/24/106/2011-TC	Fitter Electrician	Add. One Unit Add. One Unit		Add. One Unit Total 3(1+1+1) Add. One Unit Total 3(1+1+1) 4(2+2)	DIR-27/7/2012 w.e.f. Aug 2012  SCIR-30/7/2012 SIR-16/8/2012 w.e.f. Aug 2012
13	Ramasmugh Memorial Private ITI, Jalprakash Nagar, Nagar Palika Parishad, Dist. Moharajpur Uttar Pradesh DGET-6/24/183/2012-TC	Fitter Electrician	4(2+2) 4(2+2)	4(2+2) 4(2+2)	4(2+2) 4(2+2)	SCIR-30/7/2012 SIR-16/8/2012 w.e.f. Aug 2012
14	Sardhak Private ITI, Mohan Lal Ka Pokhra Rauda, Dist. Ghazipur Pin-233501 Uttar Pradesh DGET-6/24/182/2009-TC	Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)	SCIR-10/5/2012 SIR-17/8/2012 w.e.f. Aug 2012
15	Amrawadi Devi Private ITI, Milkapur, Siddiquepur, Dist. Jaunpur Uttar Pradesh DGET-6/24/192/2009-TC	Electrician Fitter	Add. 2(1+1) Add. 2(1+1)	Add. 2(1+1) Add. 2(1+1)	Add. 2(1+1) Total 4(2+2) *Rejected	SCIR-10/5/2012 SIR-21/8/2012 w.e.f. Aug 2012 *Rejected as MOU is signed on 04.08.2012 which is after the date of inspection on 10.05.2012
16	Kanchal Singh Singrue Private ITI, Kadipur, Charla Road, Dist. Allahabad Uttar Pradesh DGET-6/24/214/2009-TC	Electrician	Add. 4 units		Add. 4 units Total 12(4+4+4)	DIR-31/5/2012 SIR-22/8/2012 w.e.f. Aug 2012

प्रति  
प्रमाणित  
सर्वेक औद्योगिक प्रशिक्षण बोर्ड  
बिजनौर का पेशवा रोड-बिजनौर