



DATED: 28/8/2009

Sl. No.	Name, Address & File No. of Institute for ref. & Future correspondence	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
			Enstc.	Est. Comm.	UGET		
5	Professionals Technical Instt. D-1, Industrial Estate, Dist. Meerut, Pin-221401, Uttar Pradesh DGET-5/24/41/2008-TC	Fitter Electrician CCPA	Addl. 2 Unit 2 nd Shift Addl. One Unit 3 rd shift Addl. One Unit 3 rd shift				Enstc. Unit not mentioned. S/D is only when required. For the report thoroughly before forwarding to DGET.
	Ram Saran Singh Public JTC, Ghorets, Barabar Dist. Champur Uttar Pradesh DGET-5/24/118/2008-TC (New Ptd)	Electrician Fitter	4(2+2) 4(2+2)	4(2+2) 4(2+2)	4(2+2) 4(2+2)	4(2+2) 4(2+2)	SCIR-14/7/2008 w.e.f Aug 05 Further later correction in list of Tools & Equipment also to be done. Agt. to be.
	A. S. JTC, 0-18, Sector-9 New Vidy Nagar, Dist. Ghazipur Pin-220019 Uttar Pradesh DGET-5/24/227/2009-TC (New Ptd)	CCPA Fitter	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	SCIR-17/7/2008 w.e.f Aug 05
	Smt. Asha Devi JTC, Kanchanpur Bahanganj Dist. Champur Pin-222201 Uttar Pradesh DGET-6/24/209/2009-TC (New Ptd)	Fitter Electrician	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	SCIR-20/7/2008 w.e.f Aug 05
	Koelhi JTC, Atanya, Shamimurpur Dist. Ghazipur Uttar Pradesh DGET-5/24/85/2008-TC	Fitter Electrician	Addl. 2(1+1) Addl. 2(1+1)	Addl. 2(1+1) Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2) Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2) Addl. 2(1+1) Total 4(2+2)	SCIR-22/7/2008 w.e.f Aug 05