

STATE: Uttar Pradesh



DATED: 28/8/2009

Sl. No.	Name, Address & Pin No. of Institute for conf. of Future Imparting Tech.	Trade	Scale for which provision sought / recommended by			Approved by Sub-Committee of BDET	Remarks
			Inst.	St. Comm.	GOVT		
17	S.A. ITC, 45, Noida Road P.O. Meerut Dist. Meerut, U.P. 201 301 SDET-UP/11/2009-TC New Delhi	Auto	21+0	21+0	21+0	21+0	SOP-11/2009 w.e.f. Aug 09
		Electrician	22+0	22+0	22+0	22+0	
		Ops	23+0	23+0	23+0	23+0	
18	S.A. ITC, 45, Noida Road P.O. Meerut Dist. Meerut, U.P. 201 301 SDET-UP/11/2009-TC New Delhi	Electrician	21+0	21+0	21+0	21+0	SOP-11/2009 w.e.f. Aug 09
		Auto	21+0	21+0	21+0	21+0	
		Auto	21+0	21+0	21+0	21+0	
		Auto	21+0	21+0	21+0	21+0	
		Auto	21+0	21+0	21+0	21+0	
		Auto	21+0	21+0	21+0	21+0	
19	S.A. ITC, 45, Noida Road P.O. Meerut Dist. Meerut, U.P. 201 301 SDET-UP/11/2009-TC New Delhi	Auto	21+0	21+0	21+0	21+0	SOP-11/2009 w.e.f. Aug 09
		Auto	22+0	22+0	22+0	22+0	
20	S.A. ITC, 45, Noida Road P.O. Meerut Dist. Meerut, U.P. 201 301 SDET-UP/11/2009-TC New Delhi	Auto	21+0	21+0	21+0	21+0	SOP-11/2009 w.e.f. Aug 09

[Signature]
DR. B. VIVEK SHARMA
 Joint Director
 Joint Director of Training
 State Council of Technical Education
 U.P., Lucknow

[Signature]
 Joint Director
 Joint Director of Training
 State Council of Technical Education
 U.P., Lucknow



Note - As per NCYT decision all the Instructors must be trained within three years. The State Director/Commissioner/PTI (as appropriate) are requested to sponsor 30% Instructors every year for Training in Trainer Program (in any CTE module) at NCYT field Institute.

Sl. No.	Name, Address & Pin No. of Institute for ref. & Future correspondence draft	Trade	No. of slots available against / recommended by			Approved by Sub-Committee of NCYT	Remarks
			Govt.	Prvt.	NCYT		
41.	Central Institute of Technology Lucknow (Manager/In-charge) Mr. Subhash Mr. Prasad U.P. Pradesh	Mechanical Plaster	Add. Govt. 00 Add. Govt. 00		Add. Govt. 00 Total 00+0+0 Add. Govt. 00 Total 00+0+0 Add. Govt. 00 Total 00+0+0	Add. Govt. 00 Total 00+0+0 Add. Govt. 00 Total 00+0+0	00/00/0000 w.e.f. Aug 2011
42.	Central Institute of Technology Kanpur (Manager/In-charge) Mr. Subhash Mr. Prasad U.P. Pradesh	Mechanical Plaster	Add. Govt. 00 Add. Govt. 00		Add. Govt. 00 Total 00+0+0 Add. Govt. 00 Total 00+0+0	Add. Govt. 00 Total 00+0+0 Add. Govt. 00 Total 00+0+0	00/00/0000 w.e.f. Aug 2011
43.	Central Institute of Technology Meerut (Manager/In-charge) Mr. Subhash Mr. Prasad U.P. Pradesh	Mechanical Plaster	Add. Govt. 00 Add. Govt. 00		Add. Govt. 00 Total 00+0+0 Add. Govt. 00 Total 00+0+0	Add. Govt. 00 Total 00+0+0 Add. Govt. 00 Total 00+0+0	00/00/0000 w.e.f. Aug 2011
44.	Central Institute of Technology Gorakhpur (Manager/In-charge) Mr. Subhash Mr. Prasad U.P. Pradesh	Mechanical Plaster	Add. 00+0 Add. 00+0	Add. 00+0 Add. 00+0	Add. 00+0 Total 00+0+0 Add. 00+0 Total 00+0+0	Add. 00+0 Total 00+0+0 Add. 00+0 Total 00+0+0	00/00/0000 w.e.f. Aug 2011 Please note that notification of Institute for this trade is not in the list of NCYT 00/00/0000 w.e.f. Aug 2011
45.	Central Institute of Technology Aligarh (Manager/In-charge) Mr. Subhash Mr. Prasad U.P. Pradesh	Mechanical	00+0	00+0	00+0	00+0	00/00/0000 w.e.f. Aug 2011

Director
 State Council of Technical Education
 Lucknow

(Handwritten signature)



STATE: Uttar Pradesh

DATED: 27/07/2012

Note - As per SCVT decision all the instructors should be trained within three years. The State Government/Commission/Prof. management are requested to sponsor 10% instructors every year for Training in Trainer Program (in any CTE Institute) of SCVT field section.

Sl. No.	Name, Address & Pin No. of Institute for self. & Future correspondence work	Trade	Date for which utilization sought / recommended by			Remarks
			Instr.	Asst. Comm.	Approved by Sub-Committee of SCVT	
101	Uttar Pradesh State Institute (IT) Technology Meerut Office, Meerut, Dist. Meerut Uttar Pradesh SCVT-1100000000-PC (New Pt.)	Welding Electrician	21+0 21+0	21+0 21+0	- -	SCVT-1100000000-PC Recommendation page should be signed by SCVT member whose jurisdiction is to recommend the officer. OT to forward.
102	Dr. Jyoti Basu Singh Institute (IT) Meerut, Meerut, Dist. Meerut Uttar Pradesh SCVT-1100000000-PC (New Pt.)	Welding Electrician	21+0 21+0	21+0 21+0	Approved Approved	SCVT-1100000000-PC Name of instructor is different in different page. Recommendation sheet made on 26.07.2012, date not report and inspection date is 26.07.2012. SCVT, Meerut and SO to SCVT.
103	Institute (IT) Alwar, Alwar, Dist. Alwar Rajasthan SCVT-1100000000-PC	Welding Electrician	444.3 with with	- -	444.3 with Total 8(3+2+3) 444.3 with Total 8(3+2+3)	SCVT-1100000000-PC SCVT-1100000000-PC w.d. Aug 2012
104	Central Govt Institute (IT) Meerut, Dist. Meerut Uttar Pradesh SCVT-1100000000-PC	Electrician Welding Cutting & Drilling	42+0 21+0 21+0	42+0 21+0 21+0	42+0 42+0 Approved Approved Approved	SCVT-1100000000-PC w.d. Aug 2012 The instructor name was not in the list of SCVT to conduct the work. It is suggested to send the name of instructor to SCVT to conduct the work. The instructor name is not in the list of SCVT to conduct the work. The instructor name is not in the list of SCVT to conduct the work.

SCVT
MEERUT
OFFICE
27/07/2012



STATE: Uttar Pradesh

DATED: 24/02/2012

Note: - As per NCET decision all the instructors must be trained within three years. The State Director/Commissioner/PO management are requested to sponsor NPA instructors every year for Training in Trainer Program (in any CTE module) of SCERT field Institute.

Sl. No.	Name, Address & File No. of Institute for ref. & future correspondence work	Trade	Months for which affiliation sought / recommended by			Approved by Sub-Committee of NCET	Remarks
			Nov.	Dec.	JAN.		
1	Shri. P.L. Kishore, Director Shri. Sant Lal Bahadur Shastri Institute, Uttar Pradesh	Auto	Nov. 21+0	Dec. 21+0	Nov. 21+0 Total 42+0	Nov. 21+0 Total 42+0	NCET 15/6/2011 SC-15/6/2011 w.e.f. Feb 2012
2	SCERT/SCERT/100/100/100 Shri. P.L. Kishore, Director Shri. Sant Lal Bahadur Shastri Institute, Uttar Pradesh	Auto	21+0	21+0	42+0	42+0	NCET 15/6/2011 SC-15/6/2011 w.e.f. Feb 2012

[Handwritten signature and stamp]



DGT-12/1/2016-TC



STATE: Uttar Pradesh

Dated: 16/09/2016

Sl. No.	Name & Address	Learning Mode	Course Details for which utilization sought recommended by DGT			Approval by DGT	Remarks
			Course Code	Year	Unit		
72	Workshop Institute (KANKAR) Village/Post/Block/UTAR PRADESH PRAYAG		IT108	02-0-0	02-0-0	02-0-0	
71	Workshop Institute (KANKAR) Village/Post/Block/UTAR PRADESH	Evening	02-0-0	02-0-0	02-0-0	02-0-0	with effect from 2016
73	Workshop Institute (KANKAR) Village/Post/Block/UTAR PRADESH		IT108	02-0-0	02-0-0	02-0-0	
74	Workshop Institute (KANKAR) Village/Post/Block/UTAR PRADESH	Evening	02-0-0	02-0-0	02-0-0	02-0-0	with effect from 2016
	Workshop Institute (KANKAR) Village/Post/Block/UTAR PRADESH		IT108	02-0-0	02-0-0	02-0-0	
75	Workshop Institute (KANKAR) Village/Post/Block/UTAR PRADESH	Evening	02-0-0	02-0-0	02-0-0	02-0-0	with effect from 2016
76	Workshop Institute (KANKAR) Village/Post/Block/UTAR PRADESH		IT108	02-0-0	02-0-0	02-0-0	
77	Workshop Institute (KANKAR) Village/Post/Block/UTAR PRADESH	Evening	02-0-0	02-0-0	02-0-0	02-0-0	with effect from 2016

(Signature)

उत्तर प्रदेश विद्युत नियंत्रण आयोग
उत्तर प्रदेश विद्युत नियंत्रण आयोग
उत्तर प्रदेश विद्युत नियंत्रण आयोग
उत्तर प्रदेश विद्युत नियंत्रण आयोग
उत्तर प्रदेश विद्युत नियंत्रण आयोग