

STATE: Uttar Pradesh



DATED: 23/10/2009

<b>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&amp;E (Tools &amp; Equipment)</b>							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instt.	Std. Comm.	DGET			
11 Kandhai Singh Singrure ITC, Kadilpur, Chirla Road, Dist. Allahabad Uttar Pradesh  DGET-6/24/214/2009-TC	Fitter	2(1+1)	2(1+1)	2(1+1)*	2(1+1)*	SCIR-29/7/2009 SIR-28/8/2009 w.e.f. Feb 2010 *This clears case kept pending in the meeting held on 28.8.2009.	
12 P.D ITC, Narpatpur Dist-Varanasi UP  DGET-6/24/240/2009-TC	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-28/8/2009 w.e.f.Feb 2010	
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
13 Govt. ITI, Banda Police line, Kanwara Road, Dist. Banda Pin- 210001 Uttar Pradesh  DGET-6/21/32/89-TC	Electronics Mechanic	2(1+1)	2(1+1)	*	*	SCIR-26/7/2009 *The posting orders of the instructor are not enclosed. S/D to clarify it.	
	Painter General	One Unit	One Unit	*	*		
	Hair & Skin Care	One Unit	One Unit	*	*		
	Fashion Technology	One Unit	One Unit	*	*		
14 P.S ITC, Vill. Andhel, Post. Sikandrabad Dist. Bulandshahr Pin- 203205 Uttar Pradesh  DGET-6/24/23/2006-TC	Electrician	Addl. One Unit 3 <sup>rd</sup> shift	-	Addl. One Unit Total 3(1+1+1)	Addl. One Unit Total 3(1+1+1)	DIR-23/6/2009 w.e.f.Feb 2010	
	Fitter	Addl. One Unit 3 <sup>rd</sup> shift	-	Addl. One Unit Total 3(1+1+1)	Addl. One Unit Total 3(1+1+1)		