

STATE: Uttar Pradesh



DATED: 24/08/2012

Draft

Note: - As per NCVT decision all the instructors must be trained within three years. Director/Commissioner/Pvt management are requested to sponsor 30% in instructors for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Com. (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Trade Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks
		Instit.	Std. Comm.	Approval by Sub-Committee of NCVT	
Sunshine Private ITI, Vill. 8 Post, Chaudharpur, Dist. Varanasi, Uttar Pradesh DGET 6/24/266/2009-TC	Fitter	Add. One Unit	-	Add. One Unit Total 3(1+1+1)	DIR-30/5/2012 SIR-9/6/2012 w.e.f. Aug 2012
	Electrician	Add. One Unit	-	Add. One Unit Total 3(1+1+1)	
	Mech. Diesel	Add. One Unit	-	Add. One Unit Total 3(1+1+1)	
	Health sanitary Inspector	Add. One Unit	-	Add. One Unit Total 3(1+1+1)	
Vijay Private ITI, Vill. Palahpur Skandar, Post. Bakasur, Dist. Ghazipur, Uttar Pradesh DGET 6/24/205/2012-TC	Fitter	2(1+1)	2(1+1)	2(1+1)	SCIR-10/5/2012 SIR-08/01/2012 w.e.f. Aug 2012 *Rejected as Diesel 440V purchased after SCIR i.e. 14.01.2012
	Electrician	4(2+2)	4(2+2)	*Rejected	
Dev Prasad Singh Private ITI, Vill. Post. Ramganj, Dist. Sultanpur, Uttar Pradesh DGET 6/24/202/2010-TC	Electrician	Add. 2 units	-	Add. 2 units Total 5(2-2+2)	DIR-26/01/2012 SIR-21.7.2012 w.e.f. Aug 2012
Sandeep Nath Private ITI, Harpur, Dist. Ballia, Uttar Pradesh DGET 6/24/253/2009-TC	Fitter	Add. One Unit	-	Add. One Unit Total 3(1+1+1)	DIR-22/5/2012 w.e.f. Aug 2012
	Electrician	Add. One Unit	-	Add. One Unit Total 3(1+1+1)	

-13-
अध्यक्ष

अध्यक्ष
अध्यक्ष
अध्यक्ष