

STATE: Uttar Pradesh



DATED: 30/4/2010

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Inett.	Std. Comm.	DGET			
6. Capital ITC, Above Modelia Bazar, 2 <sup>nd</sup> Floor Cinema Road, Golghar Dist. Gorakhpur Pin- 273001 Uttar Pradesh  DGET-6/24/63/2010-TC (New Pvt.)	COPA	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-13/2/2010 w.e.f. Aug 2010	
	Data Entry Operator	2(1+1)	2(1+1)	*Rejected	*Rejected	*Pentium III PC Short.	
7. S.G.R. ITC, Janus Katra, Dist. Agra Uttar Pradesh  DGET-6/24/58/2010-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-16/1/2010 w.e.f. Aug 2010	
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
8. Allahabad ITC, Naya Nagar, Dhoomnagar Dist. Allahabad Uttar Pradesh  DGET-6/24/61/2010-TC (New Pvt.)	Fitter	4(2+2)	4(2+2)	4(2+2)	4(2+2)	SCIR-25/10/2009 w.e.f. Aug 2010	
	Electrician	4(2+2)	4(2+2)	4(2+2)	4(2+2)		
9. Deoria ITC, Deoria Khas Dist. Deoria Pin- 274001 Uttar Pradesh  DGET-6/24/60/2010-TC (New Pvt.)	Fitter	2(1+1)	2(1+1)	*One Unit	*One Unit	SCIR-22/2/2010 w.e.f. Aug 2010 *One Unit Rejected as instructor qualification is not as per NCVT norms (Draughtsman Mech.)	
10. Govt. ITI, Moti Nagar Unnao Dist. Unnao Uttar Pradesh  DGET-6/24/16/99-TC	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-18/2/2010 w.e.f. Aug 2010	
	Turner	2(1+1)	2(1+1)	2(1+1)	2(1+1)	*Item No. 15 to 20 in general Instatement not available.	
	Painter General	One Unit	One Unit	One Unit	One Unit	*No workshop space.	
	Foundry man	One Unit	One Unit	*Rejected	*Rejected		

-2-

Principal  
DEORIA ITI, DEORIA  
[PITI 1809]

STATE: Uttar Pradesh



DATED: 30/06/2011

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comar (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instt.	Std. Comm.	DGET			
52 ✓ Deoria Private ITI, Deoria Khas Dist. Deoria Pin- 274001 Uttar Pradesh  DGET-6/24/60/2010-TC	Fitter	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	DIR-19/5/2011 w.e.f. Aug 2011	
53 Panmati Private ITI, Vill. Uchauri Shekhanpur, Dist. Ghazipur Uttar Pradesh  DGET-6/24/149/2010-TC	Fitter	Addl. One Unit	-	Addl. One Unit Total 3(1+1+1)	Addl. One Unit Total 3(1+1+1)	DIR-6/5/2011 w.e.f. Aug 2011	
	Electrician	Addl. One Unit	-	Addl. One Unit Total 3(1+1+1)	Addl. One Unit Total 3(1+1+1)		
54 Lata. Jang Bahadur Singh Private ITI, Dhanauti Dist. Chandauli Uttar Pradesh  DGET-6/24/165/2010-TC	Fitter	Addl. One Unit	-	Addl. One Unit Total 3(1+1+1)	Addl. One Unit Total 3(1+1+1)	DIR-16/5/2011 w.e.f. Aug 2011	
	Electrician	Addl. One Unit	-	Addl. One Unit Total 3(1+1+1)	Addl. One Unit Total 3(1+1+1)		
55 Dr. B.R. Ambedkar Private ITI, Kallhat, Ghumar, Dist. Mirzapur Uttar Pradesh  DGET-6/24/24/2009-TC	Electrician	Addl. 3 units	-	Addl. 3 unit Total 12(4+4+4)	Addl. 3 unit Total 12(4+4+4)	DIR-3/5/2011 w.e.f. Aug 2011	
	Fitter	Addl. 3 units	-	Addl. 3 unit Total 12(4+4+4)	Addl. 3 unit Total 12(4+4+4)		
56 Ram Baran Singh Public Private ITI, Choraha, Baraipur, Dist. Jaunpur Uttar Pradesh  DGET-6/24/216/2009-TC	Fitter	Addl. 2 units	-	Addl. 2 unit Total 6(2+2+2)	Addl. 2 unit Total 6(2+2+2)	DIR-9/5/2011 w.e.f. Aug 2011	

-12-

Ministry of Labour & Employment  
New Delhi

Principal  
DEORIA ITI, DEORIA  
[PITI 1809]

30-JAN-2012 10:17

P. 01

STATE: Uttar Pradesh



DATED: 27.01.2012

Draft

Note - As per NCVT decision all the instructors must be trained within three years. The State Government is intended to sponsor 30% instructors every year for Training in Trainer Program (in any CTE module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Sd. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PE (Power Supply); T&E (Tools & Equipment)

Sl. No.	Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
			Inset	Std. Comm.	DGET		
41	Deoria Private IIT, Deoria Khas Dist. Deoria Pin- 274001 Uttar Pradesh  DGET-6/24/60/2010-TC	Fitter	Add. One Unit		Add. One Unit Total 3(1+1+1)	Add. One Unit Total 3(1+1+1)	DIR-22/11/2011 w.e.f. Feb 2012
42	Gms. Kanti Devi Private IIT, VII. & Post. Mimpatti Dist. Azamgarh Uttar Pradesh  DGET-6/24/145/2011-TC	Fitter	Add. One Unit		Add. One Unit Total 5(2+2+1)	Add. One Unit Total 5(2+2+1)	DIR-16/11/2011 w.e.f. Feb 2012
		Electrician	Add. One Unit		Add. One Unit Total 5(2+2+1)	Add. One Unit Total 5(2+2+1)	
43	T.P.S. Private IIT, Khafood, Dist. Meerut Uttar Pradesh  DGET-6/24/255/2011-TC (New Pvc.)	Fitter	4(2+2)	4(2+2)	4(2+2)	4(2+2)	SCIR-21/7/2011 w.e.f. Feb 2012
		Electrician	4(2+2)	2(1+1)	2(1+1)	2(1+1)	
44	Access Private IIT, Tikari Nawabganj, Sravan Dist. Allahabad Uttar Pradesh  DGET-6/24/15/2010-TC	Electrician	Add. 5 Units		Add. 5 units Total 18(6+6+6)	Add. 5 units Total 18(6+6+6)	DIR-03/11/2011 w.e.f. Feb 2012
		COPA	Add. 2 units		Add. 2 units Total 6(2+2+2)	Add. 2 units Total 6(2+2+2)	
45	Devendra Nath Singh Private IIT, VII. Post. Lala Bazar, Dist. Jaunpur Uttar Pradesh  DGET-6/24/12/2009-TC	Fitter	Add. One Unit		Add. One Unit Total 3(1+1+1)	Add. One Unit Total 3(1+1+1)	DIR-26/5/2010 SIR-13/1/2012 w.e.f. Feb 2012

-10-

Principal  
Deoria Pvt I.T.I  
Rishana Nagar Teacher Colony  
Deoria Khas, Deoria

Principal  
DEORIA I.T.I, DEORIA  
[PITI 1809]

प्रेषक,

निदेशक

प्रशिक्षण एवं सेवायोजन,

उत्तर प्रदेश, लखनऊ।

सेवा में,

प्रधानाचार्य/प्रबन्धक

देवरिया निजी औपरो संस्थान,

देवरिया खास, देवरिया।

पत्रांक- 2197/टी-3/रा0प0/सं0/2010 लखनऊ: दिनांक 26 दिसम्बर, 2012

विषय- सत्र परिवर्तन के सम्बन्ध में।

महोदय,

उपर्युक्त विषयक कृपया संयुक्त निदेशक (प्रशि0/शिष्नु0) वाराणसी- गोरखपुर - आजमगढ़ मण्डल, बी0पी0के0जी0आई0टी0आई0 कैम्पस, चौकाघाट, वाराणसी के पत्र सं0-045/सत्र परि0/निजी सं0/2012/1155 दिनांक 04.12.2012 द्वारा की गयी संस्तुति के आधार पर आपको फिटर व्यवसाय-01 एकक (तृतीय पाली) में सत्र फरवरी-2012 के स्थान पर अगस्त-2012 से प्रवेश किये जाने की अनुमति प्रदान की जाती है।

भवदीय

(राहुल देव)  
अपर निदेशक (प्रशि0/शिष्नु0)

पत्रांक- /टी-3/रा0प0/सं0/2010 तददिनांकित।

प्रतिलिपि: संयुक्त निदेशक (प्रशि0/शिष्नु0) वाराणसी - गोरखपुर - आजमगढ़ मण्डल, बी0पी0के0जी0आई0टी0आई0 कैम्पस, चौकाघाट, वाराणसी के पत्र सं0-045/सत्र परि0/निजी सं0/2012/1155 दिनांक 04.12.2012 के सन्दर्भ में सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

(राहुल देव)  
अपर निदेशक (प्रशि0/शिष्नु0)

Principal  
Deoria Pvt I.T.I.  
Deoria Khas, Deoria  
DEORIA I.T.I.,  
[P.T.I. 1809]



STATE: Uttar Pradesh

DATED: 30/07/2015

Sl. No.	Name, Address & File No. of Institute	Trade	Units for which affiliation sought / recommended by			Remarks
			Instit.	QCI	Approval by Sub-Committee of NCVT	
1	Deoria Private ITI, Deoria Khas, Dist. Deoria, Pin- 274001, Uttar Pradesh DGET-6/24/60/2010-TC	Electrician Fitter	6(2+2+2) Addl. 3(1+1+1)	6(2+2+2) Addl. 3(1+1+1)	6(2+2+2) Addl. 3(1+1+1) Total 6(2+2+2)	Assessment-15/6/2015 App003845 w.e.f. Aug 2015
12	Ram Narayan Singh Private ITI, Baragara, Post. Kota Shiv Pratap Singh Lalgaing, Dist. Mirzapur, Uttar Pradesh DGET-6/24/63/2015-TC (New Pvt.)	Fitter Electrician	6(2+2+2) 6(2+2+2)	6(2+2+2) 6(2+2+2)	6(2+2+2) 6(2+2+2)	Assessment-25/5/2015 App001790 w.e.f. Aug 2015
13	Gurukul Private ITI, Vill. & Post. Patra, Teh. Sikandra, Dist. Kanpur Dehat, Uttar Pradesh DGET-6/24/49/2015-TC (New Pvt.)	COPA	2(1+1)	2(1+1)	2(1+1)	Assessment-6/7/2015 App00910 w.e.f. Aug 2015
14	Kiran National Private ITI, Haronpur Kaddim Garh Road, Dist Meerut, Pin-250004, Uttar Pradesh DGET-6/24/45/2015-TC (New Pvt.)	Electrician	12(4+4+4)	12(4+4+4)	12(4+4+4)	Assessment-15/6/2015 App003484 w.e.f. Aug 2015
15	R.D.S Private ITI, Vill. Sahasi, Post. Hardichak, Dist. Gorakhpur, Pin-273046, Uttar Pradesh DGET-6/24/22/2014-TC	Electrician Fitter	Addl. 3(1+1+1) Addl. 3(1+1+1)	Addl. 3(1+1+1) Addl. 3(1+1+1)	Addl. 3(1+1+1) Total 6(2+2+2) Addl. 3(1+1+1) Total 6(2+2+2)	Assessment-14/5/2015 App004707 w.e.f. Aug 2015
16	Chandrawati Devi Private ITI, Village Belwa Tiwari, Dist. Maharajganj, Uttar Pradesh DGET-6/24/105/2014-TC	Electrician	Addl. 3(1+1+1)	Addl. 3(1+1+1)	Addl. 3(1+1+1) Total 6(2+2+2)	Assessment-5/6/2015 App003309 w.e.f. Aug 2015

-3-

पुनीता भाटिया / PUNITA BHATIA  
 Dy. Director of Training  
 उद्योग विभाग, लैबर एवं एम्प्लॉयमेंट  
 डी.जी.ए.टी. अ.प्र. विभाग  
 110001

Principal

Deoria Pvt I.T.I  
 Krishana Nagar Teacher Colony  
 Deoria Khas, Deoria

Principal

Deoria Pvt I.T.I  
 Krishana Nagar Teacher Co  
 Deoria Khas, Deoria

**DGT-12/1/2016-TC**  
**Government of India**  
**Ministry of Skill Development and Entrepreneurship**  
**Directorate General of Training(DGT)**

Shram Shakti Bhawan, Ref. No. ...  
 New Delhi, Dated: 09.09.2016

**The Director,**  
 Directorate of Employment & Training,  
 Guru Gobind Singh Marg, Lucknow - 226004,  
 Uttar Pradesh

**Subject: Grant of affiliation in additional Trades/Units to Deoria Private ITI, Deoria -reg.**

Sir,

1. The proposals accredited by Quality Council of India (QCI), forwarded to DGT for considering grant of affiliation, were put up before the members of the Sub-Committee of National Council for Vocational Training (NCVT) dealing with affiliation of Govt./Pvt. ITI's, in its meeting held on 30<sup>th</sup> Aug, 2016 at DGT Hqrs., New Delhi for its consideration and approval.

2. The Sub-Committee examined affiliation proposal and accorded approval to the following additional Trades/Units which are conforming to the NCVT Norms:

Name of Institute with address	Pin Code/Block	MIS Code/ Existing/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
				Instt.	Accredited by QCI	Submitted for Approval to Sub-Committee of NCVT	
Deoria Private ITI, Deoria Krishna Nagar Teacher Colony Deoria Khas Dist. Deoria, Uttar Pradesh DGT-6/24/60/2010-TC	274001	PU09051651  Existing	Electrician	6(2+2+2)#	6(2+2+2)#	6(2+2+2)#	Nil/0132 w.e.f. August 2016 #Addl. Delta *Re- affiliation
				6(2+2+2)*	6(2+2+2)*	6(2+2+2)*	
			Fitter	3(1+1+1)#	3(1+1+1)#	3(1+1+1)#	
				6(2+2+2)*	6(2+2+2)*	6(2+2+2)*	

3. The affiliation of the trades/units stated above is

- Subjected to periodic verification.
- The ITI must comply with NCVT norms/guidelines issued from time to time.
- ITI must display the newly released logo of ITI on the Display Board at the main gate.
- The ITI in subject is required to submit building completion certificate (BCC) before admitting trainees in subsequent session, if not submitted already.

4. In case of any discrepancy observed in the affiliation orders, same may be intimated to undersigned by 25.09.2016.

Yours faithfully

[Signature]  
**Director Training/Member Secretary (NCVT)**  
**Sandhya.saiwan@nic.in**

**Copy to:**

- PPS-Chairman of Sub-Committee to NCVT, PPS-DDG(T), Dir. (TT Cell),
- CEO, NABET, Quality Council of India, Concerned ITI & Office file

[Signature]  
**(Punita Bhatia)**  
**Deputy Director of Training**  
**Principal, punita.bhatia@nic.in**  
 Deoria Pvt ITI  
 Krishna Nagar Teacher Colony  
 Deoria Khas, Deoria