

STATE: Uttar Pradesh



DATED: 18/08/2011

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Instt.	Std. Comm.	DGET		
102 Chhatrapati Shivaji Private ITI, Ahi, Jamuna Bazar, Dist-Mirzapur UP DGET-6/24/20/2006-TC	Fitter	Addl. 2(1+1)	Addl. 2(1+1)	*Rejected	*Rejected	SCIR-21/2/2011 SIR-30/6/2011 *Rejected because Shortage of classroom. Hence Rejected 2 <sup>nd</sup> time.
	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	*Rejected	*Rejected	
	Drzughtsman Civil	2(1+1)	2(1+1)	*Rejected	*Rejected	
103 Neelkanth Private ITI, Vill. Rehati, Jalalpur, Dist. Jaunpur Uttar Pradesh DGET-6/24/110/2010-TC	Fitter	Addl. One Unit	-	Addl. One Unit Total 3(1+1+1)	Addl. One Unit Total 3(1+1-1)	DIP-16/5/2011 SIR-15/7/2011 w.e.f. Aug 2011
104 Krib Private ITI, 326C/73A/1 Stanley Road, Dist. Allahabad Uttar Pradesh DGET-6/24/45/2010-TC	Fitter	Addl. One Unit	-	Addl. One Unit Total 3(1+1+1)	Addl. One Unit Total 3(1+1+1)	DIR-13/5/2011 SIR-15/7/2011 w.e.f. Aug 2011
105 Rashriya Private ITI Renukoot, Dist-Sonebhadra Uttar Pradesh DGET-6/24/14/2002-TC	Fitter	Addl. 8(2+2+4)	Addl. 8(2+2+4)	Addl. 8(2+2+4) Total 22(8+8+6)	Addl. 8(2+2+4) Total 22(8+8+6)	SCIR-23/5/2011 SIR-15/7/2011 w.e.f. Aug 2011
106 Pooran Chand Sharma Private ITI, Semri Road, Sewla Sarai Dist. Agra Uttar Pradesh DGET-6/24/193/2010-TC	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-16/1/2010 SIR-22/7/2011 w.e.f. Aug 2011
	COPA	2(1+1)	2(1+1)	2(1+1)	2(1+1)	

-47-

Principal  
Neelkanth Industrial Training Centre  
Rehati, Jalalpur-Jaunpur



Note: - As per NCVT decision on the last assessment, candidates trained within three years. The State Director/Commissioner/Pvt management are required to re-assess 50% instructors every year for Training in Training Program (In any CRI mode) of DGET field Institute.

Sl. No.	Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
			Instit.	Std. Compt.	DGET		
4	Ch. Susha Nam Private ITI, Soliyar PO, Miran, Block Gangauli, Dist. Saharanpur, Uttar Pradesh DGET-6/24/67/2011-TC (New Pkt.)	Electrician Fitter	2(1+1) 2(1+1)	2(1+1) 2(1+1)	*Rejected *Rejected	*Rejected *Rejected	SCIR-5/10/2010 *1. Bill for lat machine enclosed. 2. Both instructor qualification is I pass.
10 5	Relaha Private ITI, Near Tapri Railway Station, Tapri Dist. Saharanpur, Uttar Pradesh DGET-6/24/7/05-TC	Fitter	Add. One Unit	-	Add. One Unit Total 3(1+1+1)	Add. One Unit Total 3(1+1+1)	DIR-15/10/2009 SIR-15/7/2010 w.e.f. Aug 2011
10 6	Neelkanth Private ITI, Vill. Rehati, Jalalpur, Dist. Jaunpur, Uttar Pradesh DGET-6/24/110/2010-TC	Electrician Fitter	Add. One Unit Add. One Unit	- -	Add. One Unit Total 3(1+1+1) * *	Add. One Unit Total 3(1+1+1) * *	DIR-16/1/2011 w.o.d. Aug 2011 *The instructor engaged is w.o.d. on our date. S/D to clarify.
10 7	Maa Prabhawati Gramin Private ITI, Rohana, Sandiqpur Basra, Dist. Ballia, Uttar Pradesh, Pin-211712 DGET-6/24/43/2009-TC	Electrician Fitter	Add. One Unit Add. One Unit	- -	Add. One Unit Total 3(1+1+1) * *	Add. One Unit Total 3(1+1+1) * *	DIR-17/5/2011 w.e.f. Aug 2011 *The MOJ CRI training with out date. S/D to clarify.
10 8	Uma Shankar Private ITI, Palampur, Madhapur, Dist. Jaunpur, Uttar Pradesh DGET-6/24/225/2009-TC	Fitter Electrician	Add. One Unit Add. One Unit	- -	Add. One Unit Total 3(1+1+1) Add. One Unit Total 3(1+1+1)	Add. One Unit Total 3(1+1+1) Add. One Unit Total 3(1+1+1)	DIR-29/12/2010 w.e.f. Aug 2011

Principal  
Neelkanth Industrial Training Center  
Rehati, Jalalpur-Jaunpur

Principal  
Neelkanth Industrial Training Center  
Rehati, Jalalpur-Jaunpur

Principal  
Neelkanth Industrial Training Center  
Rehati, Jalalpur-Jaunpur

पत्रिका  
निदेशक  
प्रशिक्षण एवं प्रशिक्षण  
कार्य प्रभाग, जयपुर।

पत्रिका  
प्रशिक्षण, प्रशिक्षण  
पैदावार औद्योगिक प्रशिक्षण केंद्र  
जयपुर  
जयपुर।

पत्रिका 537 / टी-3/सं०/मासिक/संस्तुति दिनांक 29/7/10 -2010  
विषय- स्वामी समिति की निरीक्षण रिपोर्ट के आधार पर निजी औद्योगिक केंद्रों के व्यवस्थापक/सुविधि का स्वामी सम्बन्ध प्रदान किये जाने के बारे में महा निदेशकत्व सेनाधार एवं प्रशिक्षण, टीजीआईटी नई दिल्ली में गठित उप समिति द्वारा तैयार किये गये निर्णय की सूचना के सम्बन्ध में।

संदर्भ- कार्यालय विषय के सम्बन्ध में आपकी सूचित किया गया है कि भारत सरकार से सम्बन्धित स्वामी समिति की निरीक्षण रिपोर्ट दिनांक 09-4-2010 व दिनांक 15-07-2010 को महानिदेशकत्व, समावेशन एवं प्रशिक्षण नई दिल्ली में राष्ट्रीय व्यावसायिक प्रशिक्षण परिषद् की उप समिति को बैठक सम्पन्न हुई। उप समिति द्वारा आपके सम्बन्ध में सम्बन्धित उक्त निरीक्षण रिपोर्ट के बारे में जो निर्णय लिया गया है उसका उद्देश्य व्यावसायिक नीति अंतिम किया जा रहा है-

क्रम/सं	व्यवस्थापक, एका कितने लिए सम्बन्ध/केंद्र द्वारा स्वामी सम्बन्ध का अनुमति किया गया।	संस्तुति की गयी		अनुमति
		स्वामी समिति द्वारा	टीजीआईटी द्वारा	
1	2	3	4	5
1-	Fitter 02(1+1)	02(1+1)	02(1+1)	SCIR-09/4/2010 w e f. Aug 2010
2-	Electrician 02(1+1)	02(1+1)	02(1+1)	
DGET-6/24/110/2010-TC DATED 15/07/2010				

प्रयोग किये गये सकते-

- (1) एका/सं०/मासिक-स्वामी समिति की निरीक्षण रिपोर्ट
- (2) एका/सं०/मासिक-पुराने निरीक्षण रिपोर्ट
- (3) टीजीआईटी-विभागीय निरीक्षण रिपोर्ट
- (4) सूची-विचारणीय
- (5) एका/सं०-संस्तुति नहीं किया गया।
- (6) एका/सं०-विचार नहीं किया गया।

2. अपने अधिका की जाती है कि भारत सरकार द्वारा बनाई गई कर्मियों/सुविधों का निराकरण समयावधि में करके अपनी अवस्था बिन्दुवार सक्षम करने को प्रयोग में इस निदेशकत्व को अविलम्ब प्रेषित करें। ताकि अंतिम कार्यवाही की जा सके।

विशेष- यह भी स्पष्ट किया जाता है कि भारत सरकार द्वारा यदि आपके सम्बन्ध में पंजीत व्यवसायों को मान्यता प्रदान नहीं कि गई है तो आप इन व्यवसायों में प्रवेश न करें। इन अमान्य व्यवसायों के परिष्कारियों को अमान्य अखिल भारतीय व्यावसायिक परीक्षा में सम्मिलित नहीं करना जायेगा जिसका पूर्ण उत्तरदायित्व आपका होगा।

महवीर

(सह) उपर निदेशक (प्रशिक्षण/सिख)

पत्रिका / टी-3/सं०/मासिक/संस्तुति/ महदिकांकित

प्रतिनिधि निम्नलिखित को सुवार्ता एवं सुवार्ताक कार्यवाही हेतु प्रेषित -

1. संग्रह निदेशक (प्रशिक्षण/सिख) को इस आशय से प्रेषित कि वह उपरोक्त विषय बिन्दु पर विशेष ध्यान दे तथा संबंधित सम्बन्ध/केंद्र को भी अपने स्तर से अवगत कराये।
2. संबंधित सम्बन्ध/केंद्र की कार्यवाही पत्रावली हेतु।
3. कार्य फाइल हेतु।
4. उप निदेशक, व्यावसायिक परीक्षा परिषद् अलीगढ़, तबकत।

(सह) उपर निदेशक (प्रशिक्षण/सिख)





STATE: Uttar Pradesh

DATED: 15/7/2010

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Sd. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); TAE (Tools & Equipment)

Name, Address & File No. of Institute for ref. & future correspondence draft	Trade	Units for which utilization sought / recommended by			Approved by Sub-Committee of NCVT	Remarks
		Instit.	Sd. Comm.	DGET		
Smt. Shyama Devi ITC, Vill. & Post. Salarwar, Tehsil. Akbarpur, Dist. Ambedkar Nagar Uttar Pradesh  DGET-6/24/86/2010-TC (New Pct.)	Fitter	4(2+2)	2(1+1)	2(1+1)	2(1+1)	SCIR-17/6/2010 w.e.f. Aug 2010
	Electrician	4(2+2)	2(1+1)	2(1+1)	2(1+1)	
Neelkanth ITC, Vill. Rehati, Jalaipur, Dist. Jaunpur Uttar Pradesh  DGET-6/24/110/2010-TC (New Pct.)	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	DIR-9/4/2010 w.e.f. Aug 2010
	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
Raj Mohar Singh ITC, Barahi, Zamania, Dist. Ghazipur Uttar Pradesh  DGET-6/24/205/2009-TC	Fitter	Add. One Unit	-	Add. One Unit Total 3(1+1+1)	Add. One Unit Total 3(1+1+1)	DIR-25/5/2010 w.e.f. Aug 2010 *Rejected as the instructor qualification (SCVT) is not as per NCVT norms.
	Electrician	Add. One Unit	-	*Rejected	*Rejected	
Vishwanath ITC, Jaspura, Tehsil. Banda, Dist. Banda Uttar Pradesh  DGET-6/24/133/2010-TC (New Pct.)	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-26/5/2010 w.e.f. Aug 2010
	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
K.D.S. ITC, Marani Mahaspur, Georakala Dist. Varanasi Uttar Pradesh  DGET-6/24/104/2009-TC	Electrician	Add. One Unit	-	Add. One Unit Total 3(1+1+1)	Add. One Unit Total 3(1+1+1)	DIR-31/5/2010 w.e.f. Aug 2010
	Fitter	Add. One Unit	-	Add. One Unit Total 3(1+1+1)	Add. One Unit Total 3(1+1+1)	

-2-

Principal  
Neelkanth Industrial Training Centre  
Rehati, Jalaipur-Jaunpur

Scanned with CamScanner