



STATE: Uttar Pradesh

DATED: 24/08/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)						
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks	
		Innst.	Std. Comm.	Approval by Sub-Committee of NCVT		
20	The I.E.T.E Private ITI, 248, Vill. Maheshpur P.O. Industrial Estate, Chandpur, Dist. Varanasi Uttar Pradesh DGET-6/24/223/2009-TC	Electrician Fitter	Addl. One Unit Addl. One Unit	- -	Addl. One Unit Total 3(1+1+1) Addl. One Unit Total 3(1+1+1)	DIR-24/7/2012 w.e.f. Aug 2012
21	Ram Pher Singh Private ITI, Vill. Dhakhapur, Post. Maharani Paschim Dist. Sultanpur Uttar Pradesh DGET-6/24/213/2010-TC	Fitter	2(1+1)	2(1+1)	2(1+1)	SCIR-10/5/2012 w.e.f. Aug 2012
22	Kanpur Private ITI, Mirzapur, Panki Dist. Kanpur Nagar Uttar Pradesh DGET-6/24/202/2011-TC	Fitter	Addl. 4 units	-	Addl. 4 units Total 12(4+4+4)	DIR-23/6/2012 w.e.f. Aug 2012
23	Dr. Ram Manohar Lohiya Private ITI, Ujjar Bharauli, Dist. Ballia Uttar Pradesh DGET-6/24/99/2010-TC	Electrician Fitter	Addl. One Unit Addl. One Unit	- -	Addl. One Unit Total 3(1+1+1) Addl. One Unit Total 3(1+1+1)	DIR-22/6/2012 w.e.f. Aug 2012
24	Ram Janam Audyogik Prashikshan Kendra, Kasara Road, Kopaganj, Dist. Mau Uttar Pradesh DGET-6/24/181/2011-TC	Fitter	Addl. One Unit	-	Addl. One Unit Total 3(1+1+1)	DIR-4/4/2012 SIR-23/7/2012 w.e.f. Aug 2012