

STATE: Uttar Pradesh



DATED: 31/01/2011

**SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)**

Name, Address & File No. of certificate for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Instt.	Std. Comm.	DGET		
Premlata ITC, Adarsh Nagar, Koniya, Po. Adampur, Dist. Varanasi Uttar Pradesh  DGET-6/24/192/2010-TC	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-7/8/2010 SIR-11/01/2011 w.e.f. Aug 2011 *This clears case kept pending in the meeting held on 24.12.2010.
	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
	COPA	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
Jhballi ITC, Vill. Boorpur Nain Singh, Po. Basti Kiratpur Dist. Bijnor Uttar Pradesh  DGET-6/24/218/2010-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-30/11/2010 w.e.f. Aug 2011 * Cost of lathe machine are very less (Rs.50, 000/- +40,000/-) as per bill enclosed. S/D is requested to forward verification certificate of working condition of machines from DGET trade expert that these machines are worth for implanting skill training as per by syllabus of CTS trade for which it has been purchased and for how many years this machines will be useful as per letter No. DGET-12/1/2010-TC dt. 07.12.2010 and send to DGET Hq.
	Fitter	4(2+2)	4(2+2)	*	*	

-7-

Dr. K. N. JAIN  
 Director (Training) Office  
 Ministry of Labour & Employment  
 New Delhi

STATE: Uttar Pradesh



DATED: 24/02/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

<i>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&amp;E (Tools &amp; Equipment)</i>							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
1 Purvanchal Private ITI, Kaithauli, Babatpur, Dist. Varanasi Uttar Pradesh  DGET-6/24/2/2000-TC VOL. II	Electrician	Addl. 4 units	-	Addl. 4 units Total 18(6+6+6)	Addl. 4 units Total 18(6+6+6)	DIR-22/2/2010 w.e.f. Feb 2012	
2 Chandrawati Private ITI, Town Khair, Dist. Aligarh Pin- 202138 Uttar Pradesh  DGET-6/24/11/2003-TC	Fitter	Addl. One Unit	-	Addl. One Unit Total 3(1+1+1)	Addl. One Unit Total 3(1+1+1)	DIR-16/12/2011 w.e.f. Feb 2012	
	Electrician	Addl. One Unit	-	Addl. One Unit Total 3(1+1+1)	Addl. One Unit Total 3(1+1+1)		
3 V.B.S. Memorial Private ITI, Mirzamurad, Dist. Varansi Uttar Pradesh  DGET-6/24/187/2010-TC	Fitter	Addl. One Unit	-	Addl. One Unit Total 3(1+1+1)	Addl. One Unit Total 3(1+1+1)	DIR-29/12/2011 w.e.f. Feb 2012	
	Electrician	Addl. One Unit	-	Addl. One Unit Total 3(1+1+1)	Addl. One Unit Total 3(1+1+1)		
4 Premlata Private ITI, Adarsh Nagar, Koniya, Po. Adampur, Dist. Varanasi Uttar Pradesh  DGET-6/24/192/2010-TC	Fitter	Addl. One Unit	-	Addl. One Unit Total 3(1+1+1)	Addl. One Unit Total 3(1+1+1)	DIR-28/12/2011 w.e.f. Feb 2012	
	Electrician	Addl. One Unit	-	Addl. One Unit Total 3(1+1+1)	Addl. One Unit Total 3(1+1+1)		
5 Adarsh Private ITI, Shikarpur (Bhola Nagar) Dist- Bulandshahar Uttar Pradesh  DGET-6/24/90/2009-TC	Fitter	Addl. One Unit	-	Addl. One Unit Total 3(1+1+1)	Addl. One Unit Total 3(1+1+1)	DIR-28/12/2011 w.e.f. Feb 2012	
	Electrician	Addl. One Unit	-	Addl. One Unit Total 3(1+1+1)	Addl. One Unit Total 3(1+1+1)		

Ministry of Education  
Government of India  
New Delhi

**DGT-12/1/2016-TC**  
**Government of India**  
**Ministry of Skill Development and Entrepreneurship**  
**Directorate General of Training(DGT)**

Shram Shakti Bhawan, Rafi Marg,  
New Delhi, Dated: 09.09.2016

To

**The Director,**  
 Directorate of Employment & Training,  
 Guru Gobind Singh Marg, Lucknow - 226004,  
 Uttar Pradesh

**Subject: Grant of affiliation in additional Trades/Units to Premlata Private ITI, Varanasi- reg.**

Sir,

1. The proposals accredited by Quality Council of India (QCI), forwarded to DGT for considering grant of affiliation, were put up before the members of the Sub-Committee of National Council for Vocational Training (NCVT) dealing with affiliation of Govt./Pvt. ITI's, in its meeting held on **30<sup>th</sup> Aug, 2016** at DGT Hqrs., New Delhi for its consideration and approval.

2. The Sub-Committee examined affiliation proposal and accorded approval to the following **additional Trades/Units** which are conforming to the NCVT Norms:

Name of Institute with address	Pin Code/Block	MIS Code/ Existing/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
				Instt.	Accredited by QCI	Submitted for Approval to Sub-Committee of NCVT	
Premlata Private ITI, Varanasi Adarsh Nagar Koniya Dist. Varanasi, Uttar Pradesh DGT-6/24/192/2010-TC	221001	PR00000914 Existing	Electrician	3(1+1+1)#	3(1+1+1)#	3(1+1+1)#	A16000288 w.e.f. August 2016 #Additional units.
			Fitter	3(1+1+1)#	3(1+1+1)#	3(1+1+1)#	

3. The affiliation of the trades/units stated above is

- i. Subjected to periodic verification.
- ii. The ITI must comply with NCVT norms/guidelines issued from time to time.
- iii. ITI must display the newly released logo of ITI on the Display Board at the main gate.
- iv. The ITI in subject is required to submit building completion certificate (BCC) before admitting trainees in subsequent session, if not submitted already.

4. In case of any discrepancy observed in the affiliation orders, same may be intimated to undersigned by 25.09.2016.

Yours faithfully



**(Sandhya Salwan)**  
 Director Training/Member Secretary (NCVT)  
[Sandhya.salwan@nic.in](mailto:Sandhya.salwan@nic.in)

**Copy to:**

1. PPS-Chairman of Sub-Committee to NCVT, PPS-DDG(T), Dir. (TT Cell),
2. CEO, NABET, Quality Council of India, Concerned ITI & Office file



**(Punita Bhatia)**  
 Deputy Director of Training  
[punita.bhatia@nic.in](mailto:punita.bhatia@nic.in)