



STATE: Uttar Pradesh

DATED: 30/06/2011

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CIB module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Sl. No.	Name, Address & Pin No. of Institute for ref. & Future correspondence draft	Trade	Units to be recommended by			Approval by Sub-Committee of NCVT	Remarks
			Instit.	Std. Comm.	DGET		
✓	V.N.B.P Private ITI, Maharajganj, Dist. Gorakhpur Uttar Pradesh	Fitter	2(1+1)	NR	NC	NC	SCIR-19/5/2011 w.e.f. Aug 2011
		Electrician	2(1+1)	2(1+1)*	2(1+1)	2(1+1)	
	DGET-6/24/87/2011-TC (New Pvt.)						
28	Sant Baksha Private ITI, Abilashpur, Pratapnagar, Bara, Dist. Azamgarh Uttar Pradesh	Electrician	4(2+2)	4(2+2)	*Rejected	*Rejected	SCIR-29/11/2010 *Rejected as the instructors qualifications is not as per NCVT norms
		Fitter	4(2+2)	4(2+2)	*Rejected	*Rejected	
	DGET-6/24/72/2011-TC (New Pvt.)						
29	Bhatnagar Singh Private ITI, Vill. & Post. Bhojpur, P.S. Sarni, Teh. Lalganj Dist. Raibareilly Uttar Pradesh	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-22/11/2011 w.e.f. Aug 2011
		Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
	DGET-6/24/86/2011-TC (New Pvt.)						
30	Vindhya Shyam Private ITI, Gurni Sandi Dist. Mirzapur Uttar Pradesh	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-25/5/2011 w.e.f. Aug 2011
	DGET-6/24/103/2011-TC (New Pvt.)						
31	Gayatri Private ITI, 63A/82 Defence Colony, Agra Cantt. Dist. Agra Uttar Pradesh	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-16/5/2011 w.e.f. Aug 2011
		Fitter	2(1+1)	NR	NC	NC	
	DGET-6/24/93/2011-TC (New Pvt.)						

Ministry of Labour & Employment
 11, Raisi/Now Delhi