

STATE: Uttar Pradesh



DATED: 27/07/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks
		Instt.	Std. Comm.	Approval by Sub-Committee of NCVT	
81 Hriday Narayan Singh Private ITI, Vill. Bhawanipur, Post-Baikunthpur Dist. Deoria Uttar Pradesh DGET-6/24/43/2011-TC	Fitter Electrician	Addl. One Unit Addl. One Unit	- -	Addl. One Unit Total 3(1+1+1) Addl. One Unit Total 3(1+1+1)	DIR-25/5/2012 w.e.f. Aug 2012
82 V.P. Singh Private ITI, Pure Khushahal, Abhiya, Sant Ravidas Nagar Dist. Bhadohi Uttar Pradesh DGET-6/24/206/2012-TC (New Pvt.)	Fitter Electrician	4(2+2) 4(2+2)	2(1+1) 2(1+1)	* *	SCIR-18/5/2012 *The experience certificate of trade Instructors should be sent. Requisite experience of Instructor should be sent/appoint new instructor. S/D to forward.
83 K.S. Private ITI, Vill. Kadrabad Khurd, P.O. Seohara, Dist. Bijnor Uttar Pradesh DGET-6/24/198/2012-TC (New Pvt.)	Fitter Electrician	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	SCIR-22/5/2012 w.e.f. Aug 2012
84 Kusum Private ITI, Vill. Skekriapur, Mahona, Dist. Lucknow Uttar Pradesh DGET-6/24/138/2010-TC	Fitter	Addl. 2 units	-	Addl. 2 Units Total 6(2+2+2)	DIR-13/01/2012 SIR-27/6/2012 w.e.f. Aug 2012

-21-



उपरोक्त प्रमाणित किया गया है।
राष्ट्रीय शिक्षक।
(डी.जी.ई. एण्ड टी.) प्रम
(DGE & T) Mo Labour
नई दिल्ली।