

STATE: Uttar Pradesh



DATED: 18/08/2011

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Instt.	Std. Comm.	DGET		
141 Shivam Private ITI, Shivam Nagar Khurja Dist. Bulandshahr Pin- 203131 Uttar Pradesh DGET-6/24/3/2005-TC	Fitter	2(1+1)	2(1+1)	*	*	SCIR-23/6/2011 *Latest Electricity bill not enclosed. S/D to forward the same.
	Electrician	2(1+1)	2(1+1)	*	*	
142 Babu Ram Private ITI, Vill. Songawn, Dist. Ambedkar Nagar Uttar Pradesh DGET-6/24/196/2011-TC (New Pvt.)	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-8/7/2011 w.e.f. Aug 2011
	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
143 Karmaksha Prasad Pratap Narayan College of Education & Technology Private ITI, Pure Dudhi, Ramganj Dist. Pratapgarh Uttar Pradesh DGET-6/24/210/2010-TC	Fitter	Addl. One Unit	-	*Rejected	*Rejected	DIR-1/7/2011 *Rejected because of shortage of Tools & Equipment as per NCVT norms. (Tools & Equipment for allied trade welding not available) # Rejected as clarification sought in respect of testimonials of Sh. Riyaset Ali of Fitter trade and Sh. Ranjeet Shrivastava of Electrician trade (SCIR-4/9/2010) not given.
	Electrician	Addl. One Unit	-	# Rejected	# Rejected	
144 Rajeev Gandhi Private ITI, Dixitpur (Shiv Shankari Dham) Chunar, Dist. Mirzapur Uttar Pradesh DGET-6/24/135/2011-TC (New Pvt.)	Fitter	4(2+2)	4(2+2)	4(2+2)	4(2+2)	SCIR-11/6/2011 w.e.f. Aug 2011
	Electrician	4(2+2)	4(2+2)	4(2+2)	4(2+2)	

muoni