

STATE: Uttar Pradesh



DATED: 24/08/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

<i>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)</i>						
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks	
		Instrt.	Std. Comm.	Approval by Sub-Committee of NCVT		
6 Champa Private ITI, Dhaulana, Dist. Ghaziabad Uttar Pradesh DGET-6/21/22/89-TC	Electrician Fitter	Adtl. One Unit Adtl. One Unit	- -	Adtl. One Unit Total 3(1+1+1) Adtl. One Unit Total 3(1+1+1)	DIR-17/4/2012 SIR-26/7/2012 w.e.f. Aug 2012	
7 RDJS Pvt. ITI, Khairahni, Post-Kundanganj, Dist-Raebarelli Pin-229303 Uttar Pradesh DGET-6/24/108/2012-TC	Fitter	2(1+1)	2(1+1)	2(1+1)	SCIR-09/05/2012 SIR-27/7/2012 w.e.f. Aug 2012	
8 Gyanti Devi Private ITI, Vill. & Post. Gaighat, Reoti, Dist. Ballia Uttar Pradesh DGET-6/24/67/2012-TC	Fitter	2(1+1)	2(1+1)	2(1+1)	SCIR-19/3/2012 SIR-27/7/2012 w.e.f. Aug 2012	
9 Ram Milan Yadav Gulba Devi Private ITI, Vill. Nanha(Panditpur), Ajgaiwa jungal Dist. Basti Uttar Pradesh DGET-6/24/48/2012-TC	Fitter	4(2+2)	4(2+2)	4(2+2)	SCIR-19/4/2012 SIR-23/7/2012 w.e.f. Aug 2012	
10 Guru Saran Private ITI, Gram & Post. Waidana, Tehsil. Jaisinghpur Dist. Sultanpur Uttar Pradesh DGET-6/24/33/2012-TC	Fitter Electrician	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	SCIR-05/03/2012 SIR-23/7/2012 w.e.f. Aug 2012	

[Handwritten signature and official stamp]