

STATE: Uttar Pradesh



DATED: 27/07/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)						
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks	
		Instt.	Std. Comm.	Approval by Sub-Committee of NCVT		
210 Kamla Prasad Mishra Private ITI, Vill. & Post. Bhadaia Dist. Sultanpur Uttar Pradesh  DGET-6/24/24/2011-TC	Electrician	Add. 2(1+1)	Add. 2(1+1)	Add. 2(1+1) Total 4(2+2)	SCIR-23/5/2012 w.e.f. Aug 2012	
	Fitter	Add. 2(1+1)	Add. 2(1+1)	Add. 2(1+1) Total 4(2+2)		
211 CS Private ITI, Vill. & Post. Sarawan, Dist. Azamgarh Uttar Pradesh  DGET-6/24/187/2012-TC (New Pvt.)	Fitter	4(2+2)	4(2+2)	4(2+2)	SCIR-19/5/2012 w.e.f. Aug 2012	
	Electrician	4(2+2)	4(2+2)	4(2+2)		
212 Shri R.N. Singh Vikram Singh Private ITI, Thithaura, Dugrai, Dist. Fatehpur Uttar Pradesh  DGET-6/24/151/2012-TC (New Pvt.)	Fitter	4(2+2)	4(2+2)	4(2+2)	SCIR-25/5/2012 w.e.f. Aug 2012	
	Electrician	4(2+2)	4(2+2)	4(2+2)		
213 Ganesh Private ITI, Aropur, Ram Nagar, Dist. Ambedkar Nagar Uttar Pradesh  DGET-6/24/216/2012-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	*	SCIR-30/5/2012 # Smt. Suneeta Devi Cutting & Sewi instructor not qualified as per NC norms. However the institute should appo new staff meeting the qualification a experience as per NCVT norms and t same may be forwarded by S/D aft getting it authenticated I reconsideration. *As per tools Item no 105 & 89, Die: Generator set & Inverter 1KVA, bi should be sent. S/D to forward.	
	Cutting & Sewing	2(1+1)	2(1+1)	# Rejected		
	Electronics Mechanic	2(1+1)	NR	NC		
	COPA	2(1+1)	NR	NC		

-52-

M. Singh  
Principal  
C. S. Pvt. ITI  
Sarawan, Azamgarh

*[Signature]*  
STATE COUNCIL OF TECHNICAL EDUCATION  
UTTAR PRADESH  
OFFICE OF THE DIRECTOR  
C-1, CHANDRA PETH  
LAKHIMPUR, UTTAR PRADESH