



Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)					
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks
		Instt.	Std. Comm.	Approval by Sub-Committee of NCVT	
26 Hersh Private ITI, Sarai Dhanni, Dist. Azamgarh Uttar Pradesh DGET-6/24/222/2012-TC (New Pvt.)	Fitter	2(1+1)	2(1+1)	2(1+1)	SCIR-23/7/2012 w.e.f. Aug 2012
	Electrician	2(1+1)	2(1+1)	2(1+1)	
27 Integral Private ITI, Lorikpur, Janson, Dist. C.S.M. Nagar Uttar Pradesh DGET-6/24/265/2012-TC (New Pvt.)	Fitter	2(1+1)	2(1+1)	2(1+1)	SCIR-28/7/2012 w.e.f. Aug 2012
	Electrician	2(1+1)	2(1+1)	2(1+1)	
28 Kalpnath Rai Private ITI, Luanipur Bazar, Bhatni, Dist. Deoria Uttar Pradesh DGET-6/24/220/2012-TC (New Pvt.)	Fitter	2(1+1)	2(1+1)	2(1+1)	SCIR-11/8/2012 w.e.f. Aug 2012
	Electrician	2(1+1)	2(1+1)	2(1+1)	
29 Kausal Private ITI, Rampur, Tharhyaon, Dist. Fatehpur Uttar Pradesh DGET-6/24/234/2012-TC (New Pvt.)	Fitter	2(1+1)	2(1+1)	2(1+1)	SCIR-30/7/2012 w.e.f. Aug 2012
	Electrician	2(1+1)	2(1+1)	2(1+1)	
30 R.K. Private ITI, Kishunpur, Zamania, Dist. Ghazipur Uttar Pradesh DGET-6/24/261/2012-TC (New Pvt.)	Fitter	2(1+1)	2(1+1)	2(1+1)	SCIR-18/8/2012 w.e.f. Aug 2012
	Electrician	2(1+1)	2(1+1)	2(1+1)	