



Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks
		Instit.	Std. Comm.	Approval by Sub-Committee of NCVT	
182 Wits Private ITI, Dasaijot, Po-Pausara, Dilashiganj, Dist-faizabad Pin-224001 Uttar Pradesh DGET-6/24/370/2012-TC (New Pvt.)	Fitter	4(2+2)	2(1+1)	2(1+1)	SCIR-22/8/2012 w.e.f. Aug 2012
	Electrician	4(2+2)	2(1+1)	2(1+1)	
183 Late Vanshi Singh Private ITI, Vill & Post-Alawalpur, Dist-Ghazipur Uttar Pradesh DGET-6/24/309/2012-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	SCIR-14/8/2012 w.e.f. Aug 2012
	Fitter	2(1+1)	2(1+1)	2(1+1)	
184 Navodaya Private ITI, Vill+Po-Kharkhuda Dist-Meerut Pin-245206 Uttar Pradesh DGET-6/24/400/2012-TC (New Pvt.)	Fitter	2(1+1)	2(1+1)	2(1+1)	SCIR-17/8/2012 w.e.f. Aug 2012
	Electrician	2(1+1)	2(1+1)	2(1+1)	
185 Kashi Nath Ram Naresh Private ITI, Vill-Tripurapur, Po-Maheshpur Dist-Azamgarh Pin-276137 Uttar Pradesh DGET-6/24/392/2012-TC (New Pvt.)	Electrician	4(2+2)	4(2+2)	4(2+2)	SCIR-13/8/2012 w.e.f. Aug 2012
	Fitter	2(1+1)	2(1+1)	2(1+1)	

Handwritten signature and official stamp of the Director/Commissioner, DGET, Uttar Pradesh.