

162	A16001359	SHRI VIJAY Private ITI GHAZIPUR BAIJNATHPUR BIKAPUR GHAZIPUR,UTTAR PRADESH	Old	ELECTRICIAN	3(1+1+1)	3(1+1+1)	3(1+1+1)	w.e.f August 2016
		SHRI VIJAY Private ITI GHAZIPUR BAIJNATHPUR BIKAPUR GHAZIPUR,UTTAR PRADESH		SEWING TECHNOLOGY	3(1+1+1)	3(1+1+1)	3(1+1+1)	
163	A16001459	Vijay Private ITI CORAKHPUR VIL- Chakanya Post- Gola Bazar Corakhpur,UTTAR PRADESH	Old	ELECTRICIAN	16(5+5+6)	16(5+5+6)	16(5+5+6)	w.e.f August 2016
		Vijay Private ITI CORAKHPUR VIL- Chikanuya Post- Gola Bazar Corakhpur,UTTAR PRADESH		FITTER	4(1+1+2)	4(1+1+2)	4(1+1+2)	
164	A16001559	Anurag Private Industrial Training Institute ALLAHABAD Charwa Karchhuna, Allahabad,UTTAR PRADESH	Old	ELECTRICIAN	5(1+1+3)	5(1+1+3)	5(1+1+3)	w.e.f August 2016
165	A16002422	SHRI RAM CHANDRA SMARAK PRIVATE ITI BAREILLY FRONT OF GOVT POLYTECHNIC C B GANJ DIST. BAREILLY,UTTAR PRADESH	Old	ELECTRICIAN	4(0+0+4)	4(0+0+4)	4(0+0+4)	w.e.f August 2016
		SHRI RAM CHANDRA SMARAK PRIVATE ITI BAREILLY FRONT OF GOVT POLYTECHNIC C B GANJ DIST. BAREILLY,UTTAR PRADESH		FITTER	4(0+0+4)	4(0+0+4)	4(0+0+4)	



STATE: Uttar Pradesh

DATED: 15/03/2013

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Private management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI mode) of DGET field Institute.

<i>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Stl. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)</i>					
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks
		Instr.	Stl. Comm.	Approval by Sub-Committee of NCVT	
1 G.B. Private ITI, D.D. Ashram Nagla Vahau Dist. Agra Uttar Pradesh DGET-6/24/265/2009-TC	Electrician	2(1+1)	2(1+1)	*Rejected	SCIR-14/9/2009 SIR-04/12/2012 *Workshop area is short i.e. 14.76 x 145=41.75 Sqm while required 97.6 Sqm. The certification sort after three years. Hence 2 nd time rejected.
2 Shri Shiv Shankar Private ITI, Ghosia Aunsi, Dist-S.R.N.Bhadraoni Uttar Pradesh DGET-6/24/317/2012-TC	Fitter	2(1+1)	2(1+1)	*	SCIR-24/8/2012 SIR-01/01/2013 *All of lathe machines ordered which is after the date 11.09.2012 after SCIR date. Also it is not clear that to whom it is supplied. SD to clarify.
3 Sai Private ITI, Chhapra Agard, Bakauli (Mahdawal), Dist-Sant Kabir Nagar Pin-272171 Uttar Pradesh DGET-6/24/305/2012-TC	Electrician	2(1+1)	2(1+1)	2(1+1)	SCIR-6/8/2012 SIR-4/9/2012 SIR-14/01/2013 w.a.f Feb 2013
4 Vijay Private ITI, 'Meera Bhawan', Vill. Chikaniya, P.O. Gola Bazar, Dist. Gorakhpur Uttar Pradesh DGET-6/24/152/2012-TC	Fitter	2(1+1)	2(1+1)	2(1+1)	SCIR-31/5/2012 SIR-16/8/2012 SIR-08/01/2013 w.a.f Feb 2013
	Electrician	2(1+1)	2(1+1)	2(1+1)	
5 Maa Sharda Saraswati Private ITI, Khurrampur Belsun Dist. Azamgarh Pin- 276001 Uttar Pradesh DGET-6/24/62/2008-TC	Electrician	Add. One Unit	-	Add. One Unit	DIR-14/2/2012 SIR-21/12/2012 w.a.f Feb 2013
	Fitter	Add. One Unit	-	Add. One Unit	
				Total	3(1+1+1)
				Total	3(1+1+1)

(Signature)
 Director, DGET
 Government of Uttar Pradesh
 Lucknow