



Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

<i>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)</i>						
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks	
		Instit.	Std. Comm.	Approval by Sub-Committee of NCVT		
198 Asha Pvt. ITI, Vill-Lakhanpur, Chhabelcypur, Dist-Jaunpur Uttar Pradesh DGET-6/24/96/2012-TC	Fitter	4(2+2)	4(2+2)	4(2+2)	SCIR-18/4/2012 SIR-16/7/2012 w.e.f. Aug 2012	
	Electrician	4(2+2)	4(2+2)	4(2+2)		
199 Rashtriya Private ITI Renukot, Dist-Sonebhadra Uttar Pradesh DGET-6/24/14/2002-TC	Fitter	Add. 2(1+1)	Add. 2(1+1)	Add. 2(1+1) Total 24(8+8+8)	SCIR-05/5/2012 SIR-12/7/2012 w.e.f. Aug 2012	
	Electrician	Add. 6(2+2+2)	Add. 6(2+2+2)	Add. 6(2+2+2) Total 16(6+6+4)		
200 DBSITEM Pvt. ITI, Nasarpur, Post-Tiloi, Dist. Raebareilly Pin-229309 Uttar Pradesh DGET-6/24/35/2012-TC	Fitter	4(2+2)	4(2+2)	4(2+2)	SCIR-4/4/2012 SIR-28/6/2012 w.e.f. Aug 2012	
	Electrician	4(2+2)	4(2+2)	4(2+2)		
	COPA	2(1+1)	2(1+1)	2(1+1)		
	Draughtsman Civil	2(1+1)	2(1+1)	2(1+1)		
	Health Sanitary Inspector	2(1+1)	2(1+1)	2(1+1)		
201 Sant Sai Private ITI, Shivraj Nagar Bezerdih Mahmoorganj, Dist. Varanasi Uttar Pradesh DGET-6/24/15/2012-TC	Fitter	2(1+1)	2(1+1)	2(1+1)	SCIR-3/3/2012 SIR-11/7/2012 w.e.f. Aug 2012	
	Electrician	2(1+1)	2(1+1)	2(1+1)		

Handwritten signature and stamp at the bottom right of the page.