

STATE: Uttar Pradesh



DATED: 24/08/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks
		Instit.	Std. Comm.	Approval by Sub-Committee of NCVT	
45 Santushti Private ITI, Nevada, Sunderpur, Dist. Varanasi Uttar Pradesh DGET-6/24/71/2012-TC	Fitter	2(1+1)	2(1+1)	2(1+1)	SCIR-05/4/2012 SIR-23/7/2012 w.e.f. Aug 2012
	Electrician	2(1+1)	2(1+1)	2(1+1)	

-10-

एस.पी. श्रीवास्तव / S P SHRIVASTAVA
उप निदेशक / Deputy Director
डी.जी.ई. / DGET & I
श्रम एवं रोजगार विभाग
Ministry of Labour & Employment
भारत २११००१ / Govt of India
नई दिल्ली / New Delhi