

STATE: Uttar Pradesh



DATED: 25/09/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CFI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)						
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by:			Remarks	
		Instt.	Std. Comm.	Approval by Sub-Committee of NCVT		
210 B.T.S Private ITI, Kosikalan, Dist-Mathura Uttar Pradesh  DGET-6/24/375/2012-TC (New Pvt.)	Fitter	2(1+1)	2(1+1)	2(1+1)	SCIR-30/8/2012 w.e.f. Aug 2012	
	Electrician	2(1+1)	2(1+1)	2(1+1)		
211 Sri Bajrang Private ITI, Vill-Ghanshyampur, Taluka-Badlapur, Dist-jaunpur Pin-222111 Uttar Pradesh  DGET-6/24/387/2012-TC (New Pvt.)	Fitter	4(2+2)	4(2+2)	4(2+2)	SCIR-31/8/2012 w.e.f. Aug 2012	
	Electrician	4(2+2)	4(2+2)	4(2+2)		
212 Mahatama Gandhi Private ITI, Adarsh Nagar Jagepur, Meja Road, Dist-Allahabad Pin-212303 Uttar Pradesh  DGET-6/24/228/2012-TC (New Pvt.)	Fitter	2(1+1)	2(1+1)	2(1+1)	SCIR-24/7/2012 w.e.f. Aug 2012	
	Electrician	2(1+1)	2(1+1)	2(1+1)		
213 Pratap Private ITI, Near A.R.O, Post-Amreli, Dist-Amethi Pin-227405 Uttar Pradesh  DGET-6/24/252/2012-TC (New Pvt.)	Fitter	2(1+1)	2(1+1)	2(1+1)	SCIR-19/8/2012 w.e.f. Aug 2012	