

STATE: Uttar Pradesh



DATED: 27/07/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CII module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DS (Departmental Inspection Report); SCIR (Standing Committee Inspection Report); NR (Not Recommended); NC (Not Considered); SI (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks
		Instt.	Std. Comm.	Approval by Sub-Committee of NCVT	
169 Ch. Nitrotham Singh Private ITI, Vill. Garhi Ashiya, Nainu Patti, Post. Sonkh, Dist. Mathura Uttar Pradesh  DGET-6/24/43/2012-TC	Electrician	8(4+4)	8(4+4)	8(4+4)	SCIR-18/6/2012 SIR-18/7/2012 w.e.f. Aug 2012
70 Sh. Bhagwan Singh Private ITI, Ghari Khusha, Anoda, Dist. Mathura Uttar Pradesh  DGET-6/24/97/2012-TC	Fitter	2(1+1)	2(1+1)	2(1+1)	SCIR-24/5/2012 SIR-10/6/2012 w.e.f. Aug 2012
	Electrician	2(1+1)	2(1+1)	2(1+1)	
71 Ram Shabd Humela Devi Smarak Audyogik Prashikshan Kendra, Hathina Lala (Medar Mau) Dist. Ambedkar Nagar Uttar Pradesh  DGET-6/24/21/2012-TC	Fitter	2(1+1)	2(1+1)	2(1+1)	SCIR-3/4/2012 SIR-18/7/2012 w.e.f. Aug 2012
	Electrician	2(1+1)	2(1+1)	2(1+1)	
72 Rural Private ITI, Vill. Ganj Khwaja, Post. Janso Ki Madal Dist. Chandauli Uttar Pradesh  DGET-6/24/146/2011-TC	Fitter	Addl. 2 units		Addl. 2 Units Total 6(2+2+2)	SCIR-7/4/2012 SIR-28/6/2012 w.e.f. Aug 2012
	Electrician	Addl. 2 units		Addl. 2 units Total 6(2+2+2)	