



Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any C II module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)						
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Instit.	Std. Comm.	DGET		
189 Kotah Private ITI, 4/T.O. 13/287, Campus Parvati Dal Mill, Jhingshak, Dist. Rampur Bal Nagar Uttar Pradesh DGET-6/24/76/2012-TC (New Pvt.)	Filter Electrician	4(2+2) 2(1+1)	4(2+2) 2(1+1)	4(2+2) 2(1+1)	4(2+2) 2(1+1)	SCIR-23/5/2012 w.e.f. Aug 2012
190 New Indyan Private ITI Dubulganj Anpara Dist-Sonbhadra Uttar Pradesh DGET-6/24/125/2010-TC	Filter	Add. 6(3+3)	Add. 6(3+3)	Add. 6(3+3) Total 14(6+6+2)	Add. 6(3+3) Total 14(6+6+2)	SCIR-24/4/2012 w.e.f. Aug 2012
191 Bafaj Private ITI, Kharauli, Dist. Agra Uttar Pradesh DGET-6/24/90/2012-TC (New Pvt.)	Electrician	4(2+2)	4(2+2)	2(1+1) # 2(1+1) Rejected	2(1+1) # 2(1+1) Rejected	SCIR-21/5/2012 w.e.f. Aug 2012 # Duplicate certificate of Skill Matrix found raised from Max Ganga Private ITI Bafaj is not correct as per SCIR dt. 26.06.2009 and 27.07.2009 of Max Ganga Private ITI since Electrician - 7(1+1) units raised. SCIR-17/4/2012 *Experience certificate of Principal and other technical staff are not enclosed. S/D to clarify.
192 Rajwadi Private ITI, Ikner, Harpalpur, Dist. Hamir Uttar Pradesh DGET-6/24/55/2012-TC (New Pvt.)	Filter Electrician IT&ESH	4(2+2) 4(2+2) 2(1+1)	4(2+2) 4(2+2) 2(1+1)	* * *	* * *	

STATE: Uttar Pradesh



DATED: 06/12/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)						
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks	
		Instt.	Std. Comm.	Approval by Sub-Committee of NCVT		
1 Balaji Private ITI, Kirwalli, Dist. Agra Uttar Pradesh DGET-6/24/90/2012-TC	Electrician	4(2+2)	4(2+2)	Adl. 2(1+1) Total 4(2+2)	SCIR-21/5/2012 SIR-26/7/2012 w.e.f.Feb 2013	
2 Sahab Ram Singh Private ITI, Balaura, Masrik, Ikauna, Shrawasti Pin-271821 Uttar Pradesh DGET-6/24/225/2012-TC	Electrician Fitter	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	SCIR-21/7/2012 SIR-05/10/2012 w.e.f.Feb 2013	
3 Shivnand Audhyogic Prashikshan Kendra, Vill & Post. Phephana, Dist. Ballia Uttar Pradesh DGET-6/24/191/2012-TC	Fitter	2(1+1)	2(1+1)	2(1+1)	SCIR-19/5/2012 SIR-21/8/2012 SIR-05/10/2012 w.e.f.Feb 2013	
4 Dulari Devi Private ITI, Saraimunimabad, Maharajganj, Dist-Ghazipur Pin-233001 Uttar Pradesh DGET-6/24/237/2012-TC	Fitter Electrician	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	SCIR-28/7/2012 SIR-05/10/2012 w.e.f.Feb 2013	
5 Gramodaya Private ITI, Rampur Sardha, Dist-Faizabad Uttar Pradesh DGET-6/24/268/2012-TC	Fitter	2(1+1)	2(1+1)	2(1+1)	SCIR-27/7/2012 SIR-04/10/2012 w.e.f.Feb 2013	

-1-


 Director, DGET, Uttar Pradesh
 State Institute of Training Officer
 State Institute of Training Officer (SIT)
 Ministry of Labour & Employment
 Government of India
 New Delhi