

STATE: Uttar Pradesh



DATED: 28/06/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

<i>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)</i>							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instt.	Std. Comm.	DGET			
189 Ketaki Private ITI, 4/T.O. 13/287, Campus Parvati Dal Mili Jhijhak, Dist. Rama Bai Nagar Uttar Pradesh DGET-6/24/76/2012-TC (New Pvt.)	Fitter	4(2+2)	4(2+2)	4(2+2)	4(2+2)	SCIR-23/5/2012 w.e.f. Aug 2012	
	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
190 New Indyan Private ITI Dubulganj Anpara Dist-Sonebhadra Uttar Pradesh DGET-6/24/125/2010-TC	Fitter	Addl. 6(3+3)	Addl. 6(3+3)	Addl. 6(3+3) Total 14(6+6+2)	Addl. 6(3+3) Total 14(6+6+2)	SCIR-24/4/2012 w.e.f. Aug 2012	
191 Balaji Private ITI, Kiravalli, Dist. Agra Uttar Pradesh DGET-6/24/90/2012-TC (New Pvt.)	Electrician	4(2+2)	4(2+2)	2(1+1) # 2(1+1) Rejected	2(1+1) # 2(1+1) Rejected	SCIR-21/5/2012 w.e.f. Aug 2012 # Experience certificate of Sri Mahesh Chand issued from Maa Ganga Private ITI Bharatpur is not correct as per SCIR dt. 28.08.2009 and 27.07.2009 of Maa Ganga Private ITI. Hence Electrician - 2(1+1) units rejected.	
192 Rajwati Private ITI, Iknaur, Harpalpur, Dist. Hardoi Uttar Pradesh DGET-6/24/55/2012-TC (New Pvt.)	Fitter	4(2+2)	4(2+2)	*	*	SCIR-17/4/2012 *Experience certificate of Principal and other technical staff are not enclosed. S/D to clarify.	
	Electrician	4(2+2)	4(2+2)	*	*		
	IT&ESM	2(1+1)	2(1+1)	*	*		



STATE: Uttar Pradesh

DATED: 06/12/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

<i>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)</i>						
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Instit.	Std. Comm.			
1 Balaji Private ITI, Kirawall, Dist. Agra Uttar Pradesh DGET-6/24/90/2012-TC	Electrician	4(2+2)	4(2+2)		Addl. 2(1+1) Total 4(2+2)	SCIR-21/5/2012 SIR-26/7/2012 w.e.f.Feb 2013
2 Sahab Ram Singh Private ITI, Baldaura, Masrik, Ikauna, Shrawasti Pin-271821 Uttar Pradesh DGET-6/24/226/2012-TC	Electrician Fitter	2(1+1) 2(1+1)	2(1+1) 2(1+1)		2(1+1) 2(1+1)	SCIR-21/7/2012 SIR-05/10/2012 w.e.f.Feb 2013
3 Shivnand Audhyogic Prashikshan Kendra, Vill & Post. Phephana, Dist. Ballia Uttar Pradesh DGET-6/24/191/2012-TC	Fitter	2(1+1)	2(1+1)		2(1+1)	SCIR-19/5/2012 SIR-21/8/2012 SIR-05/10/2012 w.e.f.Feb 2013
4 Dulari Devi Private ITI, Saraimunimabad, Maharajganj, Dist-Ghazipur Pin-233001 Uttar Pradesh DGET-6/24/237/2012-TC	Fitter Electrician	2(1+1) 2(1+1)	2(1+1) 2(1+1)		2(1+1) 2(1+1)	SCIR-28/7/2012 SIR-05/10/2012 w.e.f.Feb 2013
5 Gramodaya Private ITI, Rampur Sardha, Dist-Faizabad Uttar Pradesh DGET-6/24/268/2012-TC	Fitter	2(1+1)	2(1+1)		2(1+1)	SCIR-27/7/2012 SIR-04/10/2012 w.e.f.Feb 2013