

STATE: Uttar Pradesh



DATED: 27/07/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks
		Instt.	Str. Comm.	Approval by Sub-Committee of NCVT	
5 Indraji Private ITI, Vill. Tahirpur, Sikrara Bazar, Sikrara, Dist. Jaunpur Uttar Pradesh DGET-6/24/117/2012-TC (New Pvt.)	Electrician	4(2+2)	4(2+2)	# * 2(1+1) Rejected	SCIR-31/5/2012 #1. Principal having experience of two years and completed Diploma in 1980. 2. G.I. having experience of two years and completed diploma in 1982. 3. Bill of Electrical machine trainer is not enclosed. 4. Date of issue and period is not mentioned on NCU for CNC training and purchase bill of CNC by Abou Mohammed ITI, Jaunpur. S/D to forward. * Sh. Akalesh Kumar yadav instructor Electrician and Sh. Vinay Kumar Singh instructor Electrician completed their qualification in Aug-10. However the institute should appoint new staff meeting the qualification and experience as per NCVT norms and the same may be forwarded by S/D after getting it authenticated for reconsideration.
	Fitter	4(2+2)	4(2+2)	#	
Sri Jang Bahadur Singh Private ITI, Vill. Kasra, Post. Maharua (Gola), Dist. Ambedkar Nagar Uttar Pradesh DGET-6/24/150/2012-TC (New Pvt.)	Fitter	4(2+2)	4(2+2)	4(2+2)	SCIR-21/5/2012 w.e.f. Aug 2012
	Electrician	4(2+2)	4(2+2)	4(2+2)	
Narayani Swaroop Daya Private ITI Narangpur (Joya) Dist. J. P. Nagar Uttar Pradesh DGET-6/24/171/2010-TC	Electrician	Addl. 2 units		*	DIR-05/05/2012 The photocopy of Testimonials of Sh. Narendra Singh should be readable. S/D to forward. # Rejected as the Tools & Equipment are not as per NCVT norms.
	Fitter	Addl. 2 units		# Rejected	

Signature
Director
(DGET) Industries & Employment
New Delhi