



STATE: Uttar Pradesh

DATED: 24/08/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Inst. management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CII module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name	Address & File No. of Institute for ref. & Future correspondence draft	Trade	Un's for which affiliation sought / recommended by			Remarks
			Instt.	Std. Comm.	Approval by Sub-Committee of NCVT	
139	Central Private ITI, Saghol, Jangipor Dist. Ghazipur Uttar Pradesh DGET-6/24/35/2009-TC	Fitter Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 5(2+2+1)	SCIR-12/5/2012 SIR-16/8/2012 w.e.f. Aug 2012
140	Sri Vigneshwar Private ITI, Manu Bhojra Talab Naini, Dist. Allahabad Uttar Pradesh DGET-6/24/139/2012-TC	Fitter	2(1+1)	2(1+1)	2(1+1)	SCIR-30/4/2011 SIR-16/8/2012 w.e.f. Aug 2012
141	Mahaveer Private ITI, Kunda, Dist. Pratapgarh Uttar Pradesh DGET-6/24/97/2011-TC	Fitter	Addl. 2 Units	-	Addl. 2(1+1) Total 6(2+2+2)	DIR-30/5/2012 SIR-16/8/2012 w.e.f. Aug 2012
142	Vidya Private ITI, 266 KM Milestone, NH-24, (Near Village Ucharia) Fatehgarj Dist, Fardpur Dist. Bareilly DGET-6/24/2/2007-TC	Electrician Fitter	4(2+2) 4(2+2)	4(2+2) 4(2+2)	4(2+2) 4(2+2)	SCIR-25/01/2012 SIR-13/8/2012 w.e.f. Aug 2012