



Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks
		Instt.	Std. Comm.	Approval by Sub-Committee of NCVT	
24 S.K.S. Private ITI, Vill. Anantpur, P.O. Kachhawa, Dist. Mirzapur Uttar Pradesh DGET-6/24/264/2012-TC	Electrician	2(1+1)	2(1+1)	2(1+1)	SCIR-27/7/2012 SIR-4/9/2012 w.e.f.Feb 2013
25 Narayani Swaroop Daya Private ITI Narangpur (Joya) Dist. J. P. Nagar Uttar Pradesh DGET-6/24/171/2010-TC	Electrician	Addl. 2 units	-	Addl. 2(1+1) Total 6(2+2+2)	DIR-5/5/2012 SIR-14/8/2012 w.e.f.Feb 2013
	Fitter	Addl. 2 units	-	Addl. 2 units Total 6(2+2+2)	
26 Ghanshyam Urvashi Private ITI, Vill-Baudai, Phoolpur, Dist-Allahabad Uttar Pradesh DGET-6/24/313/2012-TC	Fitter	4(2+2)	4(2+2)	4(2+2)	SCIR-13/8/2012 SIR-5/10/2012 w.e.f.Feb 2013
	Electrician	4(2+2)	4(2+2)	4(2+2)	
27 Kamdhenu Private ITI, G.T. Road, Bidanpur Kakodah, Dist. Kaushambi Uttar Pradesh DGET-6/24/157/2010-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	SCIR-31/8/2012 w.e.f.Feb 2013
	Fitter	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	
28 Dr. R.K.Rajput Private ITI, Tikurian Nagla, Post-Pachpu Khra, Block-Barhpur, Dist-Farrukhabad Uttar Pradesh DGET-6/24/301/2012-TC	Fitter	2(1+1)	2(1+1)	2(1+1)	SCIR-21/7/2012 SIR-4/10/2012 w.e.f.Feb 2013
	Electrician	2(1+1)	2(1+1)	2(1+1)	

State Council of Technical Education,
Uttar Pradesh
Lucknow